ALWAYS quote Austin Vehicle
Contract Number (Located on the Dashboard).



MILITARY TYPE UTILITY VEHICLE (WITH WATTER PUMP)

GONTRACT NUMBER
V.3887

AUSTIN MOTOR CO. LTD. LONGBRIDGE, P.O. BOX 41 BIRMINGHAM, THE-

CAUTION

Parts of genuine Austin manufacture only should be used when a replacement is made, to ensure that the service given by the original parts shall be maintained by the replacement. Imitations cannot be relied upon to do this.

If imitations are used, the Company's guarantee is infringed and becomes null and void.

Always get your replacements from authorized Austin Dealers, as they stock only genuine Austin Spare Parts.

Should repairs be executed by other than an authorized Austin Dealer, for safety's sake always obtain a guarantee that genuine Austin Spare Parts are used.

When writing
ALWAYS quote Austin Vehicle
Contract Number (Located on
the Dashboard).



LEN

MILITARY TYPE UTILITY VEHICLE (WITH WATER PUMP)

SPARE PARTS

CONTRACT NUMBER V.3887 AUSTIN MOTOR CO. LTD. LONGBRIDGE, :: P.O. BOX 41 BIRMINGHAM

PUBLICATION 1896A

JULY, 1940

Manufacturers' Warranty

"THE goods manufactured by the Austin Motor Company Limited (hereinafter called "the Company") are supplied with the following express
Warranty which excludes all warranties conditions and liabilities
whatsoever implied by Common Law Statute or otherwise that is to say:—

In the event of any defect being disclosed in any part or parts of the goods and if the part or parts alleged to be defective are returned to the Company's Works carriage paid within six months from the date when the goods are delivered new to the retail customer the Company undertakes to examine same and should any fault due to defective materials or workmanship be found on examination by the Company it will repair the defective part or supply free of charge a new part in place thereof. This Warranty is limited to the delivery to the purchaser free at the Company's Works of the part or parts whether new or repaired in exchange for those acknowledged by the Company to be

The Company gives no warranty of the goods except as herein stated but desires and expects that customers shall make a thorough examination before purchasing. Persons dealing in the Company's goods are in no way the legal Agents of the Company and have no right or authority to assume any obligation on its behalf express or implied or to bind it in any way.

defective,

reation on its behalf express or implied or to bind it in any way.

For the purpose of this Warranty the term "goods" means and includes new cars or vans or chassis or parts thereof including replacement parts manufactured by the Company. It does not include tyres speedometers or Electrical Equipment or other proprietary articles or goods (including coach work) not of the Company's own manufacture although supplied by the Company. Proprietary articles are covered by the warranty (if any) given by the separate manufacturers. On second-hand goods no warranty is given by the Company

or is to be implied.

The Company's responsibility is limited to the terms of this Warranty and it shall not be answerable for personal injuries or consequential or resulting liability damage or loss arising from any defects. This Warranty shall not apply to defects caused by motor racing, wear and tear, or neglect or to the defects in any goods which have been altered outside the Company's Works or which have been let out on hire or the identification numbers or marks on which have been altered or removed.

This Warranty is dependent upon the strict observance-by the Purchaser

of the following provisions:—

The Purchaser shall at the time of purchase personally sign the form supplied by the Company and register his name address date of purchase price paid and car and chassis numbers and name address of Seller with the Company and shall obtain from the Company a signed copy of this Warranty and shall produce the same to the Company's representative for inspection in case of any claim being made. This Warranty shall not be assigned or transferred to anyone unless the Company's consent in writing has first been obtained

has first been obtained.

The Purchaser shall send to the Company's Works such part or parts as are alleged or claimed to be defective promptly on the discovery of the claimed defect. Transportation is to be propaid by the Purchaser and said part or parts to be properly packed for transit and clearly marked for identification with the name and full address of the Purchaser and with the car and chassis numbers of the vehicle from which the said part or parts were taken.

The Purchaser shall post to the Company at its Works on or before despatch of such part or parts alleged to be defective a full and complete description of the claim and the reasons therefor.

The judgment of the Company in all cases of claims shall be final and conclusive and the Purchaser agrees to accept its decision on all questions as to defects and to the exchange of part or parts. After the expiration of six days from the despatch of notification of the Company's decision, the part Company.

TERMS OF BUSINESS

All Austin Agents carry stocks of genuine Austin Replacements and applications for Spare Parts should be made to them. Clients will then be certain that the replacement is made by parts manufactured by the Austin Company and carrying their high reputation for quality and workmanship.

Correspondence with the Company relating to Spare Parts, Accessories and Replacements should be addressed to the Service Department.

All Prices are "at works" carriage or postage extra.

Packing cases charged if not returned carriage paid to the Company's works within 28 days.

Quotations hold good for 14 days from date, but those in respect of proprietary articles are subject to any alteration made by the makers in their list prices.

Cash with order, unless purchaser already has an account with the Company or is able to furnish approved references.

In consequence of alterations and improvements, the Company in no way holds itself liable or responsible as to alteration in details in respect to orders. The Company retains the right of making alterations to this list without notice, should it be deemed necessary.

Delivery on any specified date is not guaranteed.

TELEGRAPH AND TELEPHONE ORDERS.

To protect itself against fraud, the Company is compelled to decline to deliver goods ordered by telegram or telephone to the address of any persons unknown to it, unless covered by telegraphic remittance.

DAMAGE IN TRANSIT.


The Company does not hold itself responsible for goods lost or damaged in transit. All packages, upon receipt, should be signed for as "unexamined," and in the event of loss or damage to the contents, claim made upon the carriers without delay.

INDEX


An Cleaner	***	22	Mouldings	***	***
Air Strangler	1	34	Monobloc	(A)	
Ammeter	:	34	Mudwings	:	344
Axle, Front,	1	44	Oil Gauge		
Axle, Rear	3000	62		*	:
	1.	32	Oil Reservoir	* * * *	*
Battery Fixings	* * *	26	Danals	:	
Bulle Control	*	74	Pedal Controls		
		96			*
S S		7	Petrol Pump	***	1
es. Wiring		34	Cank	1	ř
		12	Oil and	retroi	
Carburetter	**	22	Droneller Shaft	2 3	
	***	82	. 2		***
ge Speed Gear		200		155.5	:
Pipes and C	ables	36	ater	4	*
Clutch	**	7 0	0	owl	*
Connecting Dods	4.4.4	14			* * *
noine	***	20	Rear Axle Assembly	ply	
		000	Kear Wings	100	* (4.0)
nd Floorbe		68	Keverse Gears	0.000	
ase	į	9	Kille Clip		:
t		12	Pubbar Farmlas	1	
Cut-out	Ť,	34			
Cylinder	. !	9	Shock Absorbers		į
Differential	(5)	62	36.5	į	1
	į	32	neter.	į	j
Doors and Fittings	22.5	80	Speedometer Gears	LS	***
Dynamo	:	32	Springs and Shackles	kles	:
Engine Assembly	***	9	\sim	rier	:
Engine Controls		20		y	į
2	:	8		100	1
Exhaust Manifold	1	22	me	Bracket	:
Exhaust Pipe	**	24	Starter Motor	8	4 (4 (4)
Fan	* * *	97			:
rerrules for Cables	2222	000	Starting mandle		:
Fire Exunguisher		100	Sump Sun Vizor	:	
Flitch Plates	,,,	74			
	***	4.5			:
Foot Controls		28		1	1
Frame		54	Tappets		:
Front Axle Assembly		44	Tail Board	100.00	
Ning	5.4.4	94	Thermometer	164	1
	***	34	tat.		*
Gearbox Assembly	4.4.4	300	Timber, Cab and	-	3
Class Channels	4.4.4	750	Tilt		
Can Mounting	:	200	Tools		
		+ 00	Tool Boxes		* * *
Hand Controls	:	288	icators	:	***
		34	Undersize Parts	5.600	
	***	44	Valves	644	4.4.4
Hub, Rear	****	62	Vizor	8	0.00
Ignition Coll	444	22	Water Connections	18	
Instrument Danel	7.55	200	Water Fump	3000	
		22	Wheels		1
a Fit		32	Wiring	74.00	**
aft ar	÷	40	Wings		3444
Metal Mouldings	i	4 5	Windscreen	:	
Mirror Miscellaneous Rody Parts	:	16	Windscreen Wiper	II	1
MISCERIAIRCOUS DOUG & OUR		7.1	WHILDOW INCBUILD	010	

CYLINDER AND CRANKCASE

							,	The same and the same and	
2	Part		DESCRIPTION	Z			4 2	Number per vehicle	
33	C3-123AB	Endine	Endine Assembly with	flywheel		clutch.	fan.		
)		0	water pump, carburetter, air	tter, ai	· Cu	ner, pe	petrol		
			pump, dynamo, distributor, sartei and cables		Stal LCI		4 5	****	
G3-93	.93	Cylind	Cylinder and Crankcase with plugs, studs, main	ith plu	gs, sti	m'spr	iain		
			bearings, valve guides and pistons	des an	d pisto	suc	3	-	
2K	6918		Welch Plugs for cyli	cylinder	:	÷	÷	4	
2K	6649		Brass Plugs for oil g	gallery	*		*:	2	
16	950	Cylind	Cylinder Head	į		:	* * *	1	
16	943		Joint Washer	i	*	:	:	-	
2K	5018		Studs for cylinder head	ead	:	:	1	13	
2K	5088		Studs for cylinder head and	ad and	dynamo bracket	to brace	sket	4	
2K	3977		Nuts for studs	ŝ		5	5	17	
2K	5646		Washers for studs 2K 5018	K 5018	:	:	:	13	
2K	5863		Spring Washers for studs		2K 5088	m	ŧ	4	
91	829/830	Main	Bearings	1	:	:	:	3 prs.	
I.F.	775		asher	per	1	*	*	7	
I.F.	776	3	Thrust Washers-lower	7er		*	:	2	
1K	141		Drain Pipe for rear bearing	bearing	***	800	2	-	
16	837		Joint Washers for bearing		caps	:	į	2	
2K	6142		Studs for main bearings	sgui	į	:	:	9	
2K	5969	- 100	Nuts for studs	:	1	:	į	9	
2K	1239	55	Split Pins	į		:	:	9	
IH	138	0.567	Liner for camshaft bearing-	earing-	-front	0			
1E	626		Liner for camshaft b	bearing	-middle	le	:	-	
1F	628		Liner for camshaft b	bearing-rear	-rear	*	;	-	
16	832	Front	Front Cover with oil catcher, thrust button,	tcher,	thrus	t butt	on,		
			stiffening washer, felt and felt retainer	elt and	felt r	etaine		-	
2K	6099		Felt Ring	:	:	:	***	-	
IE	619	30	Thrust Button	:		*:	:	-	
16	168		Joint Washer	•	:	*	:	-	




Number per vehicle	1	-		2	i 10	4	7	m	10	1	2		တ	2	2	4	2		-	i est	2	2	-	-
ď	1	3	to						į.	ŀ	\ <u> </u>	17.7		3	1	:	:-	pu	*	8			:	:
			t cover			****		ase	:	kcase	:		ikcase		i	ikcase		r cap a	***		:	1	1	
	:	•	nd fron	1		nd fron		cranko		o Cran	::	:	to cran	***	:	to cran	***	th fille	1	:	unkcase			2000
NO	late	***	late a		1000	inte		late to	1	box t	:	1	plate	ŧ	į	plate		ge wi	i	:	to cra	÷	:	
DESCRIPTION	Engine Front Support Plate	Joint Washer	Setscrews, support plate and front cover to	front bearing cap	Spring Washers	Setscrews support plate and front cover to	crankcase	Setscrews, support plate to crankcase	Spring Washers	Mounting Plate for Gearbox to Crankcase	Dowels	Joint Washer	Setscrews, mounting plate to crankcase	Lockwashers	Lockwashers	Setscrews, mounting plate to crankcase	Lockwashers	Oll Filler Tube and Flange with filler cap and	cable	Joint Washer	Setscrews for flange to crankcase	Spring Washers	Oil Filler Cap and Cable	Oil Dipper Rod
Part	IG 955	1G 892	2K 3047		2K 1210			2K 6079	2K 1211	1G 874	1G 752	IG 893	2K 3136	2K 5069	2K 5774	2K 3092	2K 8788	1A 1904		1F 185	2K 3047	2K 1210	2H 2711/ 1A 374	1G 951




OIL PUMP AND RESERVOIR

C33-58 Oil Pump Assembly Per venice 24.58 Oil Pump Body 1 2K 3449 Studs in crankcase 2 2K 3976 Studs in crankcase 2 2K 3976 Nuts 2 2K 2430 Bottom Cover 2 2K 2430 Locking Wire 1 2K 2430 Driving Spindle 1 2K 2124 Driving Gear 1 1B 90 Driving Gear 1 2K 2124 Driving Gear 1 2K 3047 Split Pin 1 2K 3047 Split Pin 1 2K 3047 Split Pin 1 2K 3047 Spring Washers 2 2K 3047 Spring Washers 2 2K 3046 Spring Washer 1 2K 5056 Spring Washer 1 2K 5056 Spring Washer 1 2K 5056 Oil Reservoir with oil tray 1 2K 5056 Union for Oil Gauge Pipe 1 2K 5056 Uni	Part	THE RESIDENCE OF A PARTY CONTRACTOR	*		Ñ	Number
1893 2449 3449 Studs in crankcase Studs in crankcase Nuts Nuts Spring Washers 25025 Locking Wire 2124 Driving Gear 257 Pin for driven gear 257 Spring Washers 2604 Spring Washers 2605 Spring Washers 2605 Spring Gear 2605 Oil Release Valve Ball Spring Gear Adjuster for release valve 26026 Cocknut Cocknut Cocknut Cocknut Cocknut Cocknut Cocknut Coll Delivery Pipe with gland and union nuts Union for Oil Gauge Pipe Washer for plug Setscrews to crankcase Setscrews Washers Spring Washers Spring Washers	Tagendary Co		N		per	vehicle
1893 Oil Pump Body 3449 Studs in crankcase 3976 Studs in crankcase 1729 Bottom Cover 5025 Setscrews 2430 Locking Wire 2430 Driving Spindle 25124 Key 90 Driving Gear 257 Spilt Pin 3947 Pin for driven gear 3047 Spilt Pin 3047 Spilt Pin 3047 Spilt Pin 3048 Spring Washers 3049 Spring Washers 3047 Spring Washers 3048 Adjuster for release valve 5054 Spring Washer 5342 Lockwasher 5342 Lockwasher 6026 Lockwasher 190 Union for oil delivery pipe 190 Union for oil dauge Pipe Washer Washer for plug 5510 Washer for plug 5510 Washers 5910 Washers	62-28	Fump			**************************************	prof
3449 Studs in crankcase 3976 Nuts 3976 Nuts 5025 Setscrews 2430 Locking Wire 2430 Driving Spindle 2124 Driving Spindle 257 Split Pin 257 Split Pin 3975 Spring Gear 3047 Bolts, strainer frame to pump body 3047 Bolts, strainer frame to pump body 3047 Spring Washers 3048 Spring Washers 3049 Adjuster for release valve 3044 Adjuster for release valve 3045 Adjuster for release valve 4 Lockwasher 5342 Lockwasher 6026 Lockwasher 190 Union for oil delivery pipe 190 Union for oil Gauge Pipe 4954 Washer 845 Oil Reservoir with oil tray 848 Ping Ping Washers 7510 Setscrews to crankcase 5197		Pump Body			9	
3976 Nuts 1211 Spring Washers 5025 Selscrews 2430 Locking Wire 2430 Locking Wire 2430 Locking Wire 254 Driving Gear 257 Pin for driven gear 257 Pin for driven gear 257 Split Pin Bolts, strainer frame to pump body 3975 Spring Washers 7306 Oll Release Valve Ball 5054 Adjuster for release valve 5054 Adjuster for pipe with gland and union nuts 190 Union for Oil Gauge Pipe 4954 Washer 4954 Washer 4954 Washer for plug 7510 Washers 7510 Washers 7510 Washers		Studs in crankcase				0
1211 Spring Washers 1729 Bottom Cover 2625 Setscrews 2430 Locking Wire 2124 Driving Spindle 2124 Early Spindle 257 Spilt Pin 257 Spilt Pin 257 Spilt Pin 257 Spring Washers 258 Spring Washers 259 Spring Washers 25054 Spring Washers 25054 Spring Washers 25055 Spring Washers 25056 Oll Release Valve Ball 25057 Spring Washers 25058 Spring Washer 25059 Spring Washers 25059 S		Nints				10
1729 Bottom Gover Setsorews Locking Wire 2430 Driving Spindle Eccking Wire 2124 Key Eccking Wire 257 Pin for driven gear Pin for driven gear 257 Pin for driven gear Pin for driven gear 257 Spiring Washers Spiring Washers 25845 Adjuster for release valve 25845 Union for oil delivery pipe 26846 Union for oil delivery pipe 268475 Union for oil delivery pipe 26848 Union for oil delivery pipe 26848 Union		Spring Washam				4 6
1729 Bottom Cover 5025 Setscrews 2430 Locking Wire 2124 Driving Spindle 2124 Key 91 Driving Gear 91 Pin for driven gear 257 Split Pin 3047 Bolts, strainer frame to pump body 3047 Bolts, strainer frame to pump body 3047 Spring Washers 5054 Spring Washers 5054 Spring Washer 5845 Union for Oil Gauge Pipe 6026 Union for Oil Gauge Pipe 5845 Union for Oil Gauge Pipe 6026 Union for Oil Gauge Pipe 6026 Union for Oil Gauge Pipe 6026 Union Washer 6027 Spring Washers 6028 Spring Washers		Spring washers			i	N
5025 Setsorews 2430 Locking Wire 2431 Locking Wire 2124 Driving Spindle 2124 Key 90 Driving Gear 257 Pin for driven gear 258 Pin for driven gear 259 Pin for driven gear 250 Pin for driven gear 250 Pin for driven gear 250 Pin for driven gear 2604 Bolts, strainer frame to pump body 3975 Spring Washers 3975 Spring Washer 4 Locknut 4 Locknut 5054 Adjuster for release valve 5054 Adjuster 5054 Adjuster 6026 Locknut 6026 Locknut Adjuster Locknut 190 Union for Oil Gauge Pipe 4054 Washer		Bottom Come				,
2430 Locking Wire 2124 Exey Driving Spindle 2124 Key Driving Gear 257 Pin for driven gear 257 Split Pin 1767 Strainer Frame with gauze Bolts, strainer frame to pump body 3975 Spring Washers 7306 Oil Release Valve Ball Spring Adjuster for release valve Lockwasher 190 Union for Oil Gauge Pipe Washer Joint Washer Sats Joint Washer Joint Washer Sats Joint Washer Spring Washers Sats Joint Washer Sats Joint Washer Sats Spring Washers July Spring Washers July Spring Washers July Spring Washers July Spring Washers		DOLLOID COVEL			***	-
2430 Locking Wire 824 Driving Spindle 2124 Key 2124 Ekey 90 Driving Gear 257 Split Pin 257 Split Pin 257 Split Pin 3047 Bolts, strainer frame to pump body 3975 Nuts 3047 Spring Washers 3975 Spring Washers 3975 Spring Washers 3975 Adjuster for release valve 4 Lockwasher 55054 Adjuster for release valve 55054 Adjuster for release valve 5026 Lockwasher 5034 Lockwasher 5342 Union for Oil Gauge Pipe 4 Washer 5845 Union for Oil Gauge Pipe 4954 Washer 5100 Washer 5100 Washer 5107 Washers 5107 Spring Washers 51997 Spring Washers					1,878,875	4
824 Driving Spindle 2124 Ekey 2124 Driving Gear 90 Driven Gear 257 Split Pin 257 Split Pin 1239 Sprint Gear 1767 Strainer Frame with gauze Bolts, strainer frame to pump body Sprint Gear 7304 Spring Washers 7305 Spring Washers 7306 Oil Release Valve Ball 5054 Spring Adjuster for release valve Locknut Locknut Locknut 6026 Lockwasher Lockwasher Spring Washer 190 Union for Oil Gauge Pipe Washer Washer 190 Washer 1881 Washer 1882 Oil Reservoir with oil tray 1881 Washer 1881 Washers 1882 Washers 1883 Washers 1894 Spring Washers		Wire			***	-
824 Driving Spindle 2124 Key 90 Driving Gear 91 Pin for driven gear 1239 Split Pin 3047 Pin for driven gear 3047 Strainer Frame with gauze 3047 Nuts 3047 Nuts 3047 Nuts 3047 Nuts 3047 Spring Washers 3054 Spring Washer 4 Adjuster for release valve 5054 Adjuster for release valve 5054 Lockwasher Lockwasher Lockwasher 5845 Union for Oil Gauge Pipe 4954 Washer 5845 Oil Reservoir with oil tray 5100 Washer for plug 5848 Joint Washer 5197 Washers 5197 Washers 5197 Spring Washers						
2124 Key 2124 Key 90 Driving Gear 257 Pin for driven gear 257 Split Pin 3047 Bolts, strainer frame to pump body 3975 Spring Washers 7306 Oil Release Valve Ball 5054 Adjuster for release valve 504 Adjuster for release valve 5054 Adjuster for release valve 504 Adjuster for release valve 504 Adjuster for release valve 504 Lockwasher 504 Vasher 504 Vasher 6026 Lockwasher 6036 Vasher 604 Vasher 605 Vashers 606 Vashers 607 Vashers 608 Vashers 609 Va					9	1
90 Driving Gear		***			14747	-
257					E	-
1239 Pin for driven gear 1239 Split Pin Split Pin 1767 Strainer Frame with gauze 1210 Bolts, strainer frame to pump body Spring Washers 1210 Spring Washers Spring Washers 12054 Adjuster for release valve Locknut Rase Locknut Rase Chion for oil delivery pipe Chion for oil delivery pipe Locknut Masher Locknut Masher Locknut Masher Locknut Rase Locknut Locknut Locknut Locknut Locknut Locknut Locknut Rase Locknut Locknut Locknut Rase Locknut Locknut Locknut Rase Locknut Lo		3				<u>_</u>
1239 Split Pin						
1767 Strainer Frame with gauze Bolts, strainer frame to pump body Nuts Nuts Nuts Spring Washers 1210		Split Pin				
1767 Strainer Frame with gauze 1767 3047						9
3047 Bolts, strainer frame to pump body 3975 Nuts Spring Washers 7306 Oil Release Valve Ball 5034 Adjuster for release valve Locknut 6026 Lockwasher S72 Oil Delivery Pipe with gland and union nuts 190 Union for Oil Gauge Pipe 4954 Washer Oil Reservoir with oil tray S45 Oil Reservoir with oil tray S48 Joint Washer Washer for plug S48 Spring Washers S415 Washers Spring Washers S72 Washers S845 Spring Washers		Strainer Frame with gan			4	
3975 Nuts Nuts 1210 Spring Washers Property Coll Release Valve Ball 5054 Adjuster for release valve 50342 Locknut 6026 Lockwasher 877 Union for oil delivery pipe 190 Union for Oil Gauge Pipe 4954 Washer 845 Joint Washer 1981 Washer for plug 1881 Washer for plug 1970 Washers 5197 Spring Washers 5197 Spring Washers		Bolts strainer frame	Tring (had		• 6
1210 Spring Washers 7306 Spring Washers 7306 Spring			3			10
7306 7306 7306 7306 7307 7306 Spring Adjuster for release valve Lockmut Lockwasher 7309 7309 7301 7304 Adjuster for release valve Lockwasher 7304 7304 7304 7304 7304 7405 7504 7504 7504 7504 7506		Coring Machan				10
7306 Oil Release Valve Ball 5054		opinig washers			100	7
Spring		Release			***	-
5342 Adjuster for release valve 5342 Locknut Locknut 872 Oil Delivery Pipe with gland and union nuts. 190 Union for oil delivery pipe 4954 Union for Oil Gauge Pipe 845 Joint Washer 848 Joint Washer Plug 7510 Washer for plug Nashers 5197 Washers 5197 Setscreak to crankcase 5197 Spring Washers 5197 Spring Washers					30.63	-
Dockupt		for release			1000	-
60.26 Lockwasher 872 Oil Delivery Pipe with gland and union nuts. 190 Union for oil delivery pipe 5845 Union for Oil Gauge Pipe 4954 Washer 845 Joint Washer Plug 7510 Washer for plug Nashers to crankcase 5197 Spring Washers 5197 Spring Washers					0.0	_
872 Oil Delivery Pipe with gland and union nuts. 190 Union for oil delivery pipe 5845 Union for Oil Gauge Pipe 4954 Washer 845 Joint Washer Plug 7510 Washer for plug 7510 Washer for plug 8425 Setscrews to crankcase 5197 Spring Washers 5197 Spring Washers						-
190 Union for oil delivery pipe		Oil Delivery Pipe with gl	and and	union n	uts	, -
845 Union for Oil Gauge Pipe		Union for oil deliver	y pipe .		6500	-
845 Washer		Union for Oil Gauge Pip			3	-
845 Oil Reservoir with oil tray 848 Joint Washer Plug 7510 Washer for plug 8425 Sextorews to crankcase 5197 Washers 1210 Spring Washers		3			4.6	-
848 Joint Washer		Reservoir with oil			9	-
1881 Plug		Washer			89.6	
8425 Setscrews to crankcase		444				
8425 Setscrews to crankcase 5197 Washers Spring Washers		ier for				
1210 Spring Washers						8
1210 Spring Washers		Washers				18
		Spring Washers				00



CRANKSHAFT, CAMSHAFT AND GEARS

Number per vehicle	=		1	_	=	7		1	-	7	_	-	-	
			:	:	;	***	•	- 1	:	:	:	5	!	
		1	:	į	;	;	į	÷	:	:	i	:	:	
		1	1	***		*	***	:	:	shaft	:	•	:	
DESCRIPTION	Crankshaft with plug	Oil Thrower, front	Starting Nut	Lockwasher	Crankshaft Gear	Keys	Packing Washer	Camshaft	Camshaft Gear	Setscrews, gear to	Lockwasher	Thrust Button	Chain for Camshaft	
Part Number	1G 823/ 2K 6002	1G 838	1G 771	2H 731	1F 46		2K 8744	1G 831		2K 5265		1A 1647	2H 735	




W. 10. 4. A.

VALVES, TAPPETS AND VENT PIPE

Number per vehicle		4	00	00	8 prs.	90	ω:	ω :	00	Je 1		5	5		1	
	÷	***		:	1	***	0.674		1	ent pir	1	:		*		
	÷	*	* * * *	***	(halves)	*		*	:	v for v	**	****		:	ankcas	
MOLL	î	*	*	9.8.6	-	1	2000	1	•	elbor	***			:	to er	
DESCRIPTION	**	2	:	Cups	Cotters	-	303		:	r with	3446	1.4.4	:	di	t pipe	
I	Inlet Valves	Exhaust Valves	Valve Springs	Valve Spring	Valve Split Cotters	Tappets	Screws	Locknuts	Valve Guides	Valve Spring Cover with elbow for vent pipe	Jointing	Setscrews	Fibre Washers	Vent Pipe with clip	Setscrew, vent pipe to crankcase	
Part	898	867	6095	92	1651	836	1018	1924	964	664	57	6335	6337	875	6146	
Ne	IK	IF	2K	118	IA	16	110	14	TH	16	16	2K	2K	16	2K	


CONNECTING RODS AND PISTONS

Part	ı	DESCRIPTION	PTION				Number per vehicle
G3-7	Connecting Rods and Caps with bearings for cylinders 1 and 3	and Cand 3	aps wit	h bea	rings	for	2
G3-8	Connecting Rods and	100	Caps with bearings	h bea	rings	for	
	cylinders 2 and	and 4	1		1		2
169 91	Bearings (halves)	ves)	1000	:		***	4 prs.
1B 235	Bolts		8	80408	0	1.4.4	ω
2K 5130	Nuts	2-4-2	i i	4	-600	-	83
2K 6129	Pegs	1.00	1	:	â		ω
2K 1232	Split Pins	***	7	1			œ
2K 5367	Clamping Bolts	ts	600	:		4.4.4	4
2H 137	Lockwashers	***	50	ě	į	*	4
G3-92	Pistons with rings and gudgeon pins	s and	gudgec	n pin	90	:	4
1G 939	Piston Rings	***	E	:	i	:	00
16 940	Scraper Rings	::	100	1			ব
1G 981	Gudgeon Pins	200	1				4




FAN AND STARTING HANDLE

Number per vehicle	7	4	4	-	-	-	-
- A	:	:	:	*	:	:	:
	:	:	•	:		A	:
	:	ey	. :	:	:	Pulle	i
DESCRIPTION		a to pull	ers	Pulley	Belt	Driving	:
DES	es	screws, far	Spring Washers	Fan and Dynamo Pulley	Fan and Dynamo Belt	Fan and Dynamo Driving Pulley	Starting Handle
	Fan Blades	Set	Spr	and	and	and	ting
	Fan			Fan	Fan	Fan	Star
Part	961	2K 3048	5894	1G 958	2H 3538	1G 959	1G 878
Z	1 K	2K	2K	16	2H	16	16




Number per vehicle	u	· ·		9	1		_ ·		- ·			-	-		-	-			1	-	1	-	1			5	= :	
	1	: :			Bush	* * * *	30.00	*	9888	:	*		*	*	***	- ;		1	2 2 3			*		*	Engine .	***		* * * *
44		ort plate		:	Oil-less	***	6306	577		Key	9.60	7/16	n	•	:	÷	:	*	1		****	ì	**	***	to	2000	***	:
DESCRIPTION		Bolts to front support	Nuts for bolts	Spring Washers	Water Pump Body with	Oil-less Bush	Plug for oil hole	Grease Nipple	Joint Washer	Vane and		Spring Washer	Ball Bearing, 3×12×16in.		Grease Retainer	Collar for Spindle	Spring Ring	Driving Pin	and .	r Wa	Spring	Cup Washer	Water Pump Cover	By-Pass Connection	Rubber Connection-Pump	Clips	Pulley	Key
Part		2K 3110			1G 956				1G 963			2K 5896			1G 964		1K 137	1K 139			C	1K 138	1G 965	1H 328		2H 979		2K 2123




ENGINE CONTROLS

Accelerator Shaft and Lever with felts, cups and collars Felts	G3-85 1A 1832				,	per venicle
Accelerator Shaft Supports Rubber Seal Solts, support to dash Nuts Spring Washers Control Rod, long Locknut for short control rod Double coil spring washers Split Pins Ball Joint for short control rod Spring Washer Split Pins Throttle Control Link Split Pin Spring washers Spring Washer Spring Wa	7	Accelerator Shaft and I		vith	pad,	
Accelerator Shaft Supports Rubber Seal Bolts, support to dash Nuts Control Rod, long Control Rod, short Locknut for short control rod Double coil spring washers Split Pins Ball Joint for short control rod Spring Washer Throttle Control Link Split Pin Throttle Control Link Split Pin Throttle Control Link Split Pin Split Pin			lars	1	1- 1	2 2
Rubber Seal		Accelerator Shaft Suppor	·ts		-	8
Bolts, support to dash Nuts Spring Washers Accelerator Pedal Return Spring Control Rod, long Locknut for short control rod Double coil spring washers Split Pins Ball Joint for short control rod Spring Washer Throttle Control Link Split Pin		Rubber Seal	:	:		_
Accelerator Pedal Return Spring Accelerator Pedal Return Spring Control Rod, long Control Rod, short Locknut for short control rod Double coil spring washers Split Pins Ball Joint for short control rod Spring Washer Throttle Control Link Split Pin	9	Bolts, support to das	sh		1	4
Accelerator Pedal Return Spring Control Rod, long Control Rod, short Locknut for short control rod Double coil spring washers Split Pins Ball Joint for short control rod Spring Washer Throttle Control Link Split Pin Split Pin	10	Nuts	:		. 4.7	4
Accelerator Pedal Return Spring Control Rod, long Control Rod, short Locknut for short control rod Double coil spring washers Split Pins Ball Joint for short control rod Nut Spring Washer Throttle Control Link Pivot for link Split Pin	0	Spring Washers	*	ŧ	1	4
Control Rod, long	1G 889	Accelerator Pedal Return	Sprin		-	н
Control Rod, short Locknut for short control rod Double coil spring washers Split Pins Nut Spring Washer Throttle Control Link Pivot for link Split Pin	890		1	÷	7)	1
Double coil spring washers Split Pins Nut Spring Washer Throttle Control Link Pivot for link Split Pin	1834	Control Rod, short Locknut for short co	ntrol ro	: 0	1 1	
Split Pins Ball Joint for short control rod Spring Washer Throttle Control Link Pivot for link Split Pin	2546	Double coil spring w	ashers	* * *	;	2
Ball Joint for short control rod Nut	4	Split Pins	÷	:	-	2
Nut Spring Washer Throttle Control Link Pivot for link Split Pin			rol rod		:	1
7 Spring Washer	7		:	:	***	-
Throttle Control Link Pivot for link	6		**	÷	-	-
Pivot for link Split Pin	888	Throttle Control Link	:	:	:	-
Split Pin	7	link	:	:	:	_
	Ţ	:	ŧ	ŝ		-



INDUCTION, CARBURETTER AND PETROL PUMP

t 94	SCRIPTION Exhaust Manifold carburetter and exhau	Number per vehicle with
	Clamping Yokes for manifold Joint Washer for manifold Studs for manifold in cylinder Studs for manifold in cylinder Stud for manifold in cylinder Nuts for studs	
Ca	Carburetter Studs, carburetter to manifold Studs, carburetter to manifold Spring Washers	:: :: :: :: :: :: :: :: :: :: :: :: ::
Pe	Petrol Pump Studs in crankcase Spring Washer Spring Washers Screen for Petrol Pump	
S	Silencer and Air Cleaner Clip for cleaner Bolt for clip Nut for bolt Washer Spring Washer	
St	Stay for silencer and air cleaner Setscrews for stay Spring Washers	111



IG 883 IG 883 IG 883 IG 883 IG 883 IG 1009


EXHAUST AND SILENCER

Number per vehicle	-	-	****	n	က	3	1	1			7	-	D TRANS	П	-	-	П	-	-	-		5	-	-	-		
	:	:	:	:	* * *	-	:	1	:	:	:	:	ort	÷	:	:	:		:	;		:		į	3	:	
	:	:	:	in manifold	:	***	:	Silencer	:	***	:	***	with support		:::	***	to frame	•	;	***		:	***	:		:	
	:	:	:	Е.	:	:	P	pu	:	:	1	:	M	:		:	0	:		:	:	:	-		*	:	
DESCRIPTION	with	Exhaust Pipe Flange	Joint Washer	Studs for exhaust pipe	Nuts	Spring Washers	Clip for Silencer, front end	Support for Exhaust Pipe and	Bolts, support to clip		Spring Washers	Washer—clip bolt, top	Silencer and Tail Pipe	brackets	Front Mounting, upper	Front Mounting, lower	Bolt, front mounting t	Washer	Nut	Split Pin	Rear Mounting, upper	Rear Mounting, lower	Bolt for mounting	Nut for mounting bolt	Washer	Split Pin	
Part	880	882	883	0899	6682	1210	478	1786	3093	3976	1211	9447	1009		843	5141	4915	8981	3995	1231	1094	5141	5180	3995	8981	1231	
Na	16	16	16	2K	2K	2K	16	IA	2K	2K	2K	2K	16		16	1E	2K	2K	2K	2K	1E	1E	2K	2K	2K	2K	

27

RADIATOR and THERMOSTAT


d OLOLW



8 OI OI 0X
+85HZ 7565I 7565D
996DI
ZIOI SI
S66 DI
67.6AI


PETROL TANK

Number per vehicle	-		4-0	=-	1	7	40	P - 9 9	
	Unit	3 1		: :	:	:	: :		: : : : ; : : : e
	and	1 1	: : : :	: :	÷	sts		1111	nt pip
	plug	: :	 ig cover for filler	: :	i	3rack e	fram	gauge	pipe
DESCRIPTION	Petrol Tank with drain for gauge	Petrol Filler with cap	Rubber Washer Woodscrews for fixing cover Rubber Connection for filler Clips for connection	Drain Plug Fibre Washer	Union for Petrol Pipe	Rubber Pads for Tank Brackets	Nuts for "U" bolts on frame Lockwashers	Tank Unit for petrol ga Joint Washer Screws to tank Spring Washers	Rubber Connection for air vent pipe Air Vent Pipe Rubber Ferrule for pipe Clip—air vent pipe Screw for clip Nut for screw Spring Washer
Part	G3-99AB		4D 3073 4D 3074 5C 1588 1G 1000 2H 698	2H 1881 2K 7510	1F 95	1B 174	2K 3977 2K 6059	2H 3303 2H 1082 2K 6428 2K 1369	1H 402 1G 977 2H 1889 2H 399 2K 3815 2K 4012 2K 1209




PIPING

Number per vehicle		П	7	2	C)	7	S		-	-		-				_	_	_	1	-	•		1	
	end,	1		7.7		ì		dun,	÷	:	with	÷	pple,	*	* *		*	*	:	*	•	with	10.00	
	tank	÷	1	*	6.4.4	*	*	uts, P		:	etter,	:	ıt, ni	7.07	ash	***	200	2000	:	* * *	* * *	Pipe		*
DESCRIPTION	Petrol Pipe, Tank to Pump, tank	with nipple and nut	Clips, pipe to floor	Screws	Nuts	Spring Washers	Clips, pipe to frame	Flexible Petrol Pipe with nuts, Pump	to Tank, pump end	Union	Petrol Pipe, Pump to Carburetter, with	union, nipple and nut	Oil Pressure Pipe with nut, nipple,	union and clip	Ferrule for pipe through dash	Screw for clip to dash	Nut	Spring Washer	Flexible Oil Gauge Pipe	Nut	Nut	Vacuum Ignition Control Pipe	nipples and nuts	Clip, pipe to cylinder head
Part	16,884		2H 174	2K 3028	2K 2526			1H 213		2K 5309	1G 1017		1A 1841		3B 50	2K 3940	2K 4012	2K 1209	1G 552	1F 74	2K 5244	16 904		1K 204



INSTRUMENTS

Number ser vehicle Setscrews, starter to gearbox and mounting Horizontal Fixing Vertical Fixing Supports for Side Lamp Wires on wings Packing Plate for starter with 2 dowels Switch for Tail Lamp with Screws Washer ... STXVW. 13E) Batteries (Lucas No. STXVW. 13E) Felt Mats for batteries ... Head Lamp with cable, nearside Driving Spindle for distributor ... Peg for spindle ... Suction Control for distributor ... Head Lamp with cable, nearside Distributor with suction control Head Lamp with cable, offside Head Lamp with cable, offside Adjustment Link for dynamo Bolts, dynamo to bracket Cross Tube for head Jamps Cross Tube for head lamps Bolts for cross tubes ... Bolts—bracket to dash Ignition Coil Bolts—coil to bracket Packing Washer Setscrew to crankcase Bracket for Tail Lamps DESCRIPTION Speedometer (miles) Nuts for bolts Spring Washers... Switch for starter ... Starter and Switch ... Stop and Tail Lamps Nut for flange ... Nuts for bolts ... Spring Washers... Spring Washers... Packing Washers plate Spring Washers.... Nuts for bolts ... Nuts for screws Spring Washers.. Screws to panel Bracket for dynamo Spring Washer Locking Stud Fibre Washer Rubber Ferrules Distributor only Fan for dynamo Bracket for coil Starter Control Washer Starter only Side Lamps Nuts Nut Dynamo 3400/1 3539 3053 3975 1210 3382 739 3394 1562 2K 3046 2K 3975 2K 3975 1G 982 2K 3046 2K 3046 2K 3046 2K 3026 2H 1031 1H 19 2K 1210 2K 1204 2K 3095 3K 3095 3 3548 8010 3589 3590 3008 4017 3428 5863 7502 3547 109 931 750 694 Part Number 2H 942



		2H 33	70000	IN THIS	A STATE OF THE STA					- CO		10/1				CCC13333			11+CH7((())	1067H7				2H34I8		CH3474	[913					C POICEC	MINISTER OF THE PROPERTY OF TH	2H2423				332	8017L7			IF 208 2H 3236		1	1				2		2HZ331 C		
			TAX S	The said	2							2H3E47	These is			,	0						G3-95		>		Y.	*	and,		131				0		-					IF.											
	Number per vehicle	-	→ (40	-	-	-	-			nt I		- (7.			4 +	-			- c		70	7	- 0		- t		10	1	-	1	-		::	7 *	1 :	÷ -	-		-			Number	per vehicle	-	-			- Ini	with	with	arm.
		to frame	to frame	те	Gause, in case			****	200		tion and Elemen	ent	n and and	9556 9556 (5)	2000 2000	2000		Cooling Design	Socket, Fositive	het, ivegalive		ash	355		***			Dieta	1.14(5	:	switch	500 (600 %	****	***				444					. ()	Z	Canda Harnes	se mariness		with terminal	ith terminal	Light Switch, w	Farth Connection w	n connection, w
NSTRUMENTS—contd.	DESCRIPTION	Clip, flexible drive to	0	Nute for egrave	etrol			Petrol Gauge	Instrument Case	Fixing Clip	~	Joint Washer for Element	Clip to steering Column	Clips to Fan Cowl	Ignition Warning Lamp	Lights and Idmittion Curital	WILL	Lamps an	Inspection Lamp Flug 50c		- 5	SetScrews, cut-out to dash	Comment Williams	Floateis Louis	Transfer and In	Spring Washers	Horn Pillar	Note Diller to Support Diete	Spring Washers	Stop Light Switch	Spring for stop light	Clip for spring	Screw for clip	Nut for screw	Screws, switch to frame		Air Strangler Control	Dull Button and Dlung	TEON WIT	Cable Abutment	Screw	Washer			Main Cable Horness	-	Rattery Food Cable	Battery Cable—Cell to Cell	Cable—Battery to Starter		Cable—Switchbox to Panel Light Switch	Cables—Instrument to Farti	-Instrument to
INSTR	Number 211 2007	2H 161		2K 2526	2H 3541				2H 3430						2H 3410						2044		2104 AC	20 1209 DH 7433	CT 4470	2K 5894			2K 5319				2K 3939			1209 05 05	13-73	F 327				2K 7502		Part	Number H 2555	H 3560	H 2984	K 8836	K 7135	2K 8837	K 8503	2K 7764	

2H2250

2H354|


Q 2H399

W.10.14.B

2H 1641


G57

Publisher Regulator to Screen Wiper Motor Motor Motor Motor Motor Screen Wiper Motor to Switch Screen Wiper Motor to Dash Washers Cable No. 2 Cable No. 3 and 4 Suppressors Cable—Coll to Universal Suppressors Cable Support Bracket with insulator Gable Support Bracket with insulator Fressor Condensers (1.0 microfarad) g Diagram Plate Rivets to dash TERMINALS Inals for H.T. Cables Fivets to dash TERMINALS Inals for Battery Earth Cables Inal for Battery Earth Cables Inal for Battery Earth Cables Inal for Battery Cables Inal for Battery Cables Inal for Starter Cables Spring Washer Nut Spring Washer Inal for Starter Cables Inan Cable Harness Through Dash Ites for Starter Cables Ites for Starter Cables Ites for Cables Through Dash Ites for Cables Through Dash Ites for Cables Through Dash Ites for Head Lamp, Side Lamp and Screen Wiper Cables CLIPS CLIPS for Tail Lamp Cables for Dash Iter Cable Harness to Steering Column and nearside Head Lamp Cables to Rear of Dash. Cable through Dash for Screen Wiper Cables Iter Cable Harness to Steering Column and nearside Head Lamp Cables to Rear of Dash. Sorrews for clips Nuts (incagon) Spring Washers		nor vehicle
king Plugs (K.L.G. F50X) Washers. Qable No. 1 Sparking Plugs (Cable No. 3 and 4 Cable No. 3 and 4 Suppressors Cable No. 3 and 4 Cable Support Bracket with insulator stors at Sparking Plugs (15,000 ohms) Stors at Sparking Plugs (15,000 ohms) Stors at Sparking Plugs (15,000 ohms) Stors at Distributor End of H.T. Cables (15,000 ohms) Stors at Distributor End of H.T. Cables (15,000 ohms) TERMINALS THRMINALS Initials for H.T. Cables Fivets to dash TERMINALS Initials for Hartery Earth Cable to Strangler Adjuster Nut Spring Washer Nut Spring Washer Nut Spring Washer Initials for Instrument, Earth and Condenser Cables and Screen Wiper Cable to Dash BBER FERRULES, Etc. Spring Washer Nutes for Speedometer Flex and Side Lamp Cable Harness Through Dash Ules for Speedometer Flex and Side Lamp Cable Through Dash, Flitch Plates Lamp Cable Harness Through Dash, Plitch Plates and Goval Side Lamp and Screen Wiper Cable Harness to Gable Lamp, Side Lamp Cable Harness to Steering Column and nearside Head Lamp, Side Lamp Cable to Head Lamp Support Tube Cable Harness to Steering Column and nearside Head Lamp Cables Lamp Support Tube Stor Cable Harness to Steering Column and nearside Head Lamp Cables Lamp Support Tube Stor Cable Harness to Steering Column and nearside Head Lamp Cables Lamp Support Tube Storews for clabs Screws for clabs Nuts (equare) Nuts (equare) Nuts (equare) Nuts (equare) Nuts (hexagon) Nuts (square)	-Voltage Regulator to Screen Wiper	1
ing Plugs (K.L.G. F50X)	-Screen Wiper Motor to Switch	
Cable No. 1 Cable No. 3 and 4 Cable Suppressor Cable Support Bracket with insulator Cable Support Bracket with insulator Cable Support Bracket with insulator Stors at Distributor End of H.T. Cables (5,000 ohms) Tessor Condensers (10 microfarad) Rivets to dash TERMINALS Initials for H.T. Cables ery Terminals, Positive Initials for H.T. Cables ery Terminals, Positive Initials for H.T. Cables ery Terminals, Positive Initials for Instrument, Earth and Condenser Cable Harness Through Dash With Spring Washer. Adjuster Adju	ing Plugs (K.L.G. F50X)	4 4
Cable No. 2 to universal Cable No. 2 and 4 suppressors Cables No. 3 and 4 suppressors Cables No. 3 and 4 suppressors Cables Distributor to Universal Suppressor Cables Suppressor Cables Suppressor Cables Suppressors at Distributor End of H.T. Cables (5,000 ohms) stors at Distributor End of H.T. Cables (5,000 ohms) stors at Distributor End of H.T. Cables (1,000 ohms) stored Suppressor Condensers (1.0 microfarad) supported Fixed Support H.T. Cables Support H.T. Cables Support H.T. Cables Support H.T. Cables and Screen Wiper Cable to Dash sules for Instrument, Earth and Condenser Cables and Screen Wiper Cables and Screen Wiper Cables and Screen Wiper Cables Through Dash sules for Speedometer Flex and Side Lamp Cables Through Dash sules for Cables Through Dash sules for Cables Through Dash sules for Cables Through Dash cector Tube for Battery Feed Cables (Cable Harness to Steering Column and nearside Head Lamp Cables to Rear Cables of Cable Harness to Steering Column and nearside Head Lamp Cables (100 Cable Harness to Steering Column and nearside Head Lamp Cables (100 Cable Harness to Steering Column and nearside Head Lamp Cables (100 Cable Harness to Steering Column and nearside Head Lamp Cables (100 Cable Harness to Steering Column and nearside Head Lamp Cables (100 Cable Harness to Steering Column Starter Cable to Dash Starter Cable to Dash Starter Cable to Dash Starter Cable to Dash Starter Cable (100 Cable Starter Cabl	Cable No. 1 Sparking Plugs	
Cables—Distributor to Universal Suppressor Cables—Distributor to Universal Suppressor Stors at Sparking Plugs (15,000 ohms) stors at Distributor End of H.T. Cables (5,000 ohms) stors at Distributor End of H.T. Cables (15,000 ohms) stors at Distributor End of H.T. Cables (15,000 ohms) store at Distributor End of H.T. Cables Rivets to dash TERMINALS Inimals for H.T. Cables Five Terminals, Negative minals for Battery Cables Inimals for Battery Cables on Spring Washer Nut Spring Washer BBER FERRULES, Etc. Spring Washer BBBER FERRULES, Etc. Spring Washer BBBER FERRULES, Etc. Spring Washer BBBER FERRULES (2able to Dash unles for Starter Cables and Screen Wiper Cables Through Dash unles for Cable Through Dash unles for Cables Through Dash unles for Cables Through Dash unles for Cables Through Dash cector Tube for Battery Feed Cable CLIPS Sfor Tail Lamp Cables Member Cables CLIPS Sfor Tail Lamp Cables to Rear Gross Member and Side Lamp Cables to Rear Gable Harness to Steering Column and nearside Head Lamp Cables to Rear of Dash and nearside Head Lamp Cables to Rear Gables Harness for Cable Harness to Steering Column and nearside Head Lamp Cables Storews for clips Nuts (quager) Screws for clips Nuts (quager) Nuts (quager) Nuts (quager) Nuts (quager) Nuts (quager)	Cable No. 2 and 4 cuniversal	1 2
pressors Cable Support Bracket with insulator stors at Sparking Plugs (15,000 ohms) ressor Condensers (1.0 microfarad) ng Diagram Plate Rivets to dash TERMINALS ninals for H.T. Cables ery Terminals, Negative ery Terminals, Positive minals for Battery Cables ninals for Battery Cables and It Spring Washer Nut Spring Washer Spring Washer Lamp Cables and Screen Wiper Cable to Dash BBER FERRULES, Etc. g for H.T. Cables ules for Starter Cables ules for Starter Cables Through Dash ules for Starter Cables Through Dash ules for Starter Cables Cable Harness Through Dash ules for Gable Through Dash ules for Gable Harness Through Dash cales for Hatel Lamp, Side Plates Lamp Cables Lamp Cables CLIPS S for Tail Lamp, Gable to Rear Gross Member and Side Lamp Cables to Head and nearside Head Lamp Cables to Rear of Dash. CLIPS S for Cable Harness to Steering Column and nearside Head Lamp Cables to Head and nearside Head Lamp Cables to Sarvey S for Screen Wiper Cables Screws for clips Screws for clips Nuts (quagen) Spring Washers Nuts (quagen)	T. Cable Coll to Universal Suppresser	-
stors at Sparking Plugs (15,000 ohms) stors at Distributor End of H.T. Cables (5,000 ohms) ressor Condensers (1.0 microfarad) ng Diagram Plate Rivets to dash Rivets to dash TERMIN ALS ninals for H.T. Cables ery Terminals, Negative ninals for Battery Cables ninal for Battery Cables and for Battery Cables ninal for Battery Cables Adjuster Null Spring Washer BBER FERRULES, Etc. 3 for H.T. Cables ules for Instrument, Earth and Condenser Cables and Screen Wiper Cable to Dash BBER FERRULES, Etc. 3 for H.T. Cables ules for Starter Cables ules for Starter Cables ules for Starter Cables ules for Gable Harness Through Dash ules for Cable Harness Through Dash ules for Cable Harness Through Dash ules for Gable Through Dash Lamp Cable Through Dash CLIPS s for Tail Lamp Cable to Rear Gross Member and Side Lamp Cables to Rear of Dash. S for Tail Lamp Cable to Dash s for Screen Wiper Cables Starter Cable to Dash Spring Squarer Nuts (licxagon)	pressors	10 H
NALS below NALS ables cables cables carth Cable to Strangler cables arth Cable to Strangler arth Cable to Strangler RULES, Etc. ables ness Through Dash Through Dash Through Dash p, Side Lamp and Screen Py Side Lamp and Screen ash ttery Feed Cable Cable Ash ttery Feed Cable Cable o Cable to Rear Gross de Lamp Cables to Rear ad Lamp Cables to Rear ad Lamp Cables to Rear co Dash o Dash re Cables	stors at Sparking Plugs (15,000 obstors at Distributor End of H.T.	Tr.
NALS NALS Begaive Signive Cables Carth Cable to Strangler Anth Cable to Strangler CRULES, Etc. Ables RES Through Dash Through Dash Through Dash Through Dash Through Dash Through Dash Through Cable to Rear Through Cable to Rear Through Cable to Head Thube	ohms)	NO 14
Cables Negative Positive Posit		> 4
Cables Negative Positive stry Cables y Earth Cable to Strangler rument, Earth and Con- and Screen Wiper Cable to Cables I Through Dash dometer Flex and Side Through Dash amp, Side Lamp and Screen uge Pipe and Screen Wiper bash LIPS mp Cable to Rear Gross Side Lamp Cables to Rear frances to Steering Golumn Head Lamp Cable to Head rt Tube to Dash liper Cables	RMIN	
Negative Positive ary Cables y Earth Cable to Strangler rument, Earth and Con- and Screen Wiper Cable to SRRULES, Etc. es r Cables I Through Dash dometer Flex and Side Through Dash amp, Side Plates amp, Side Lamp and Screen uge Pipe and Screen Wiper bash Battery Feed Cable LIPS mp Cable to Rear Gross Side Lamp Cables to Rear frances to Steering Golumn Head Lamp Cables to Rear frabe e to Dash iper Cables		מו
ry Cables y Earth Cable to Strangler rument, Earth and Con- and Screen Wiper Cable to RRULES, Etc. es r Cables Jarness Through Dash dometer Flex and Side Through Dash es Through Dash, Flitch wel Side Plates amp, Side Lamp and Screen uge Pipe and Screen Wiper h Dash L IPS mp Cable to Rear Cross Side Lamp Cables to Rear trube e to Dash liper Cables so	Negative	24
Etc. Dash Dash and Screen sh, Flitch and Screen ger Gross es to Rear g Column le to Head	ery Cables	181
R Washer For Instrument, Earth and Coner Cables and Screen Wiper Cable to Starter Cables T. Cables T. Cables T. Cables T. Cable Harness Through Dash To Cable Through Dash To Cable Through Dash The Cable Through Dash The Cable Through Dash The Cable Through Dash The Cable Through Dash T. Head Lamp, Side Lamp and Screen T. Cables T. Cable	ou angi	=
ER FERRULES, Etc. H.T. Cables for Starter Cables for Starter Cables for Cable Harness Through Dash for Cable Through Dash for Cables Through Dash for Cables Through Dash for Gables Through Dash for Gables Through Dash for Gables Through Dash for Oil Gauge Pipe and Screen per Cables Trube for Battery Feed Cable CLIPS r Tail Lamp Cable to Rear Gross mber and Side Lamp Cables to Rear Dash r Cable Harness to Steering Golumn d nearside Head Lamp Cable to Head mp Support Tube tarter Cable to Dash r Screen Wiper Cables R Screen Wiper Cables r Screen Wiper Cables tis squarer tis squarer this washers	g Washer for Instrument, Earth and	
ER FERRULES, Etc. H.T. Cables for Starter Cables for Cable Harness Through Dash for Speedometer Flex and Side mp Cable Through Dash for Cables Through Dash, Flitch tes and Gowl Side Plates for Head Lamp, Side Lamp and Screen per Cables Trube for Battery Feed Cable. Tube for Battery Feed Cable. CLIPS r Tail Lamp Cable to Rear Gross amber and Side Lamp Cables to Rear Dash CLIPS r Cable Harness to Steering Column d nearside Head Lamp Cables to Head an Support Tube mp Support Tube mp Support Tube mp Support Tube mp Support Tube for Screen Wiper Gables for Cable to Dash for Screen Wiper Gables for Cable Harness to Steering Column for Screen Wiper Gables for Cable Harness to Steering Column for Screen Wiper Gables for Cable Harness to Steering Column for Screen Wiper Gables for Cable Harness to Steering Column for Screen Wiper Gables for Cable Harness to Steering Column for Screen Wiper Gables for Cable Harness for clips for Cable Harness	denser Cables and Screen wiper Cable to	9
H.T. Cables for Starter Cables or Cable Harness Through Dash for Speedometer Flex and Side mp Cable Through Dash for Cables Through Dash, Flitch tes and Cowl Side Plates for Head Lamp, Side Lamp and Screen per Cables for Oil Gauge Pipe and Screen Wiper for Cables r Tube for Battery Feed Cable CLIPS r Tail Lamp Cable to Rear Gross amber and Side Lamp Cables to Rear Dash. Cable Harness to Steering Column d nearside Head Lamp Cables to Head mp Support Tube tracker Cable to Dash ts Green Wiper Cables ts Screen Wiper Cables ts Graare) ts Graare) tts (Itexagon) tits (Itexagon)	FERRULES,	
for Cable Harness Through Dash for Cable Harness Through Dash for Cables Through Dash for Oil Gauge Pipe and Screen for Oil Gauge Pipe and Screen Wiper ble through Dash r Tube for Battery Feed Cable. CLIPS r Tail Lamp Cable to Rear Gross mber and Side Lamp Cables to Rear Dash. r Cable Harness to Steering Column d nearside Head Lamp Cable to Head mp Support Tube to Reserve Cable to Dash r Screen Wiper Cables the Screen Wiper Cables the Cable Cable to Dash the Support Tube the Screen Wiper Cables the Screen Wiper Cables the Cable Harness to Steering Column to Cable Hardess the Cable Harness to Steering Column to Cable Hardess the Cable Hardes Lamb Cables the Cable Hardess the Cable	for H.T	1
for Speedometer Flex and Side mp Cable Through Dash test and Cables Through Dash, Flitch and Cables Through Dash, Flitch and Cowl Side Plates for Head Lamp, Side Lamp and Screen per Cables	Through Dash	ł
for Cables Through Dash, Flitch ttes and Gowl Side Plates for Head Lamp, Side Lamp and Screen per Cables for Oil Gauge Pipe and Screen Wiper ble through Dash r Tube for Battery Feed Cable CLIPS r Tail Lamp Cable to Rear Gross amber and Side Lamp Cables to Rear Dash r Cable Harness to Steering Column d nearside Head Lamp Cable to Head mp Support Tube r Screen Wiper Cables r Screen Wiper Cables tis square tts (licxagon) tts (licxagon) tts (licxagon)	for Speedometer Flex and	2
	for Cables Through Dash,	i ie
	Ferrules for Head Lamp, Side Lamp and Screen	ò
Tube for Battery Feed Cable CLIPS for Tail Lamp Cable to Rear Cross Member and Side Lamp Cables to Rear of Dash or Cable Harness to Steering Column and nearside Head Lamp Cable to Head amp Support Tube Starter Cable to Dash or Screen Wiper Cables Starter Cable to William Cables Nuts (square) Nuts (square)	Wiper Cables Ferrules for Oil Gaude Pipe and Screen Wiper	10
CLIPS for Tail Lamp Cable to Rear Gross fember and Side Lamp Cables to Rear of Dash for Cable Harness to Steering Column and nearside Head Lamp Cable to Head amp Support Tube Starter Cable to Dash or Screen Wiper Cables Nuts (quare) Nuts (hexagon) spring Washers	•	~
for Tail Lamp Cable to Rear Cross Member and Side Lamp Cables to Rear of Dash or Cable Harness to Steering Column and nearside Head Lamp Cable to Head amp Support Tube Starrer Cable to Dash or Screen Wiper Cables Screws for clips Nuts (square) Nuts (lexagon) Spring Washers		
Member and Side Lamp Cables to Rear of Dash Or Cable Harness to Steering Column and nearside Head Lamp Cable to Head amp Support Tube Starter Cable to Dash or Screen Wiper Cables Screws for clips Nuts (square) Nuts (lexagon) Spring Washers	for Tail Lamp Cable to Rear	
or Cable Harness to Steering Column and nearside Head Lamp Cable to Head amp Support Tube Starter Cable to Dash or Screen Wiper Cables Screws for clips Nuts (square) Nuts (liexagon) Spring Washers	Member and Side Lamp Cables of Dash	3
Starter Cable to Dash	for Cable Harness to Steering Go and nearside Head Lamp Cable to	,
ocrars of the control	Starter Cohla to Dash	90
Screws for clips	or Screen Wiper Cables	₩;
washers	Screws for clips	10
Washers	(hexagon)	מו
	Washers	7



GEARBOX


	Number per vehicle	1			20	η.	→ (r	2 0		·	V	0 4	0	(7 77	-	-	.0.	Φ,	0 1	-	-		IČ.	9	7	2	1			1	п.	+ -	. ,	-		-	e nest	,	-	→ (7 7	-	0	1
		ver	er,	1	*	Ì	ě	:	1	:	:	(6,674)	4.4.4	:	1		:	:	Š	:	\$: :	÷	3	į	į	**		i		:		:			:			1	8			8	3
		change speed lever	for front cover,	. :	30.00		36364	111	A	*	*	9	***	:	: :			***		÷	÷	\$ 8	: :			shaft;	:	•		•	į	:	•		2000	ŧ	arm				+7+	511			ğ
		ange s	r front	:				***		100			23.0	-	*			3	:		4.4		: :	1	* * *	ating	3	*	ź		nin	3	*	1.00		Į.	lock	8		•	*	§ į		:	1
)	NOL	gears, ch shaft			plate	ng plate	plate	Stud	1111	spring.	***	6.50		9	:		1		4.4.4	***		93.00				clutch operating	*	*	646	Ing	oil drain	Š	3(00)		•	seating	h interlock			Ē	3	1		4	.:
	DESCRIPTION	Gearbox Assembly with gears, and clutch operating shaf	Gearbox Casing with studs		Bolts to mounting p	rews to moun	mounting I	Western	Spring Washers				Spring Washers	Cover for inspection hole	Screws		Toint Washer		Nuts for studs	Spring Washers	Rear Cover	Coll Seal	Setscrew 14in long		ashers	Grease Nipples for clut		Plug for oil filler	Drain Plug	Washer for drain p	Split Pin for clutch pit	Change Speed Lever	Ignob	, eg		Washer for spring seating		ock Arm	LIVOL	Forward Fork Rod		Spring Washers	Dard Sand	paade puz	3rd and 4th Speed Fork
	Part Number	G3-100	G3-101		2K 3095			2K 3976	7K 1211			2K 6210	2K 5894	1A 3031	2K 881		0 10		3	2K 1210		1A 3253	2K 52			2H 2942		2K 5830	2H 1881	2K 7510	2K 1257			IG 3054		2K 8134	122	V -	<	1G 3203	G 3	1G 3211 2K 1210		16 3210	1G 3218



GEARBOX—contd.


Reverse Fork Second Polity	3217			: :	÷	-
First Motion Shaft with cone and spring ring *Cone Balls spin dia *Cone Ball Bearing, 35 × 72 × 17 mm. Spring Ring *Roller Bearing in Shaft, \$ × 1 × 1 in. Third Motion Shaft Spring for Peg Thrust Washer (front) Ball Bearing, 1\$ × 2\$ × 3\$ × 3\$ × 3\$ × 3\$ × 3\$ × 3\$ × 3	6	9		* * *		4 (
First Motion Shaft with cone and spring ring *Cone *Cone *Cone Ball Bearing, 35 × 72 × 17 mm. Spring Ring Roller Bearing in Shaft, \$ × 1 × 1 in. Third Motion Shaft Peg Spring for Peg. Thrust Washer (front) Rear Bearing, 11 × 24 × 4 in. Rear Bearing, 11 × 24 × 4 in. Rear Bearing Peg Locating Peg Roller Bearing Housing Locating Peg Roller Bearing Housing Lockwasher Nut First Speed Wheel Sleeve Coller Springs *Cone 3rd Speed Mainshaft Gear with cone Sleeve Coller Springs *Cone 3rd Speed Mainshaft Gear with cone Sleeve Springs *Cone 3rd Speed Mainshaft Gear with cone Sleeve Coller *Cone 3rd Speed Mainshaft Gear with cone Springs *Cone Thrust Washer (front Thrust Washer, front		s for forks			*	2)
First Motion Shaft with cone and spring ring Rung for ball bearing *Cone Ball Bearing, 35 × 72 × 17 mm. Spring Ring Roller Bearing in Shaft, \$ × 1 × 1 in. Third Motion Shaft Peg Spring for Peg. Thrust Washer (front) Thrust Washer (front) Thrust Washer (front) Thrust Washer (front) Rear Bearing Housing Locating Peg Riange for 3rd Motion Shaft Lockwasher Nut First Speed Wheel Speed Mainshaft Gear with cone Sleeve Sleeve Sleeve 3rd and 4th Speed Coupling Sleeve *Cone 3rd and 4th Speed Synchroniser *Cone 3rd and 4th Speed Coupling Adaptor Springs Balls, \$ ½ in. dia Layshaft Laygear with bushes Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Wheel Speedometer Pinion Speedometer Pinion Speedometer Pinion Filter Washer Filter Washer Filter Washer	10	gin. dia.	1	i	*	7)
Ring for ball bearing *Cone Ball Bearing, 35 × 72 × 17 mm. Spring Ring Roller Bearing in Shaft, \$ × 1 × 1 in. Third Motion Shaft Peg Spring for Peg. Thrust Washer (ront) Thrust Washer (ront) Thrust Washer (rear) Thrust Washer (rear) Rear Bearing Housing Locating Peg Locating Peg Riange for 3rd Motion Shaft Lockwasher Nut First Speed Wheel Sileeve Scollar Synchroniser *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser *Cone 3rd and 4th Speed Synchroniser Springs Balls, \$ \frac{1}{4}\$ in dia Laygear with bushes Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Wheel Speedometer Phinon	40	Motion Shaft with cone		ring	ring	1
#Cone Ball Bearing, 35 × 72×17 mm. Spring Ring Roller Bearing in Shaft, \$ × 1 × 1 in. Third Motion Shaft Peg Spring for Peg Thrust Washer (front). Rear Bearing Housing Lockwasher Nut Rear Bearing Housing Lockwasher Nut First Speed Wheel Sleeve Collar *Cone 3rd Speed Mainshaft Gear with cone Sleeve Collar *Sheve *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd Speed Mainshaft Gear with cone Sleeve Lockwasher *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone Thrust Speed Coupling Sleeve *Cone Balls, \$ fin. dia. In and 4th Speed Coupling Adaptors *Thrust Washer, front Thrust Washer, front Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Phinon Bush Filite Washer Filite Washer	60	for ball		Ş	***	-
Ball Bearing, 35 × 72×17 mm. Spring Ring Roller Bearing in Shaft, ‡ × 1 × 1 in. Third Motion Shaft Peg Spring for Peg Thrust Washer (front) Thrust Washer (front) Thrust Washer (rear) Ball Bearing, 1½ × 2¼ × ¼in. Rear Bearing Housing Locating Peg Locating Peg Locating Peg Riange for 3rd Motion Shaft Lockwasher Nut Nut Speed Mainshaft Gear with cone Sleeve Sleeve Sleeve Synchroniser *Cone 3rd Speed Mainshaft Gear with cone Sleeve Sleeve Sleeve Springs Acone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Coupling Adaptor Layshaft Laysear with bushes Balls, ¼in. dia Zhd and 3rd Speed Coupling Adaptors Layshaft La	100		•	200	53.5	a)
Spring Ring Roller Bearing in Shaft, \$\frac{1}{4} \times 1 \times 1 \times 1 \times 2 \times	7	Bearing, 35×72×17		2.4-4	1.4.4	_
Roller Bearing in Shaft, §×1×1In. Third Motion Shaft Peg Spring for Peg Thrust Washer (front) Thrust Washer (rear) Thrust Washer (rear) Thrust Washer (rear) Thrust Washer (rear) Locating Peg Locating Peg Locating Peg Rlange for 3rd Motion Shaft Lockwasher Nut Rust Speed Wheel Sleeve Sleeve Sleeve Sleeve Synchroniser *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptors Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush, rear Thrust Washer, rear Reverse Wheel with bush Bush Speedometer Pinion Bush Speedometer Pinion Bush Fithe Washer	w	Spring Ring	*	**	7.93	
Third Motion Shaft Peg Spring for Peg. Thrust Washer (front) Thrust Washer (front) Thrust Washer (front) Thrust Washer (rear) Ball Bearing, 1½ × 2¼ × ¼in. Rear Bearing Housing Locating Peg Locating Peg Flange for 3rd Motion Shaft Nut Pirst Speed Wheel Zoleve Soleve Soleve Soleve 3rd Speed Mainshaft Gear with cone Soleve Soleve Soleve Soleve Soleve Soleve Acone 3rd Speed Mainshaft Gear with cone Soleve Soleve Acone Soleve Acone Soleve Soleve Soleve Acone Soleve Acone Soleve Soleve Soleve Thrust Speed Coupling Sleeve Springs Balls, ¼in. dia. Layshaft Soleve Bush, rear Thrust Washer, front Thrust Washer, front Thrust Washer, front Thrust Washer, rear Reverse Wheel with bush Bush Speedometer Pinion Bush Fibre Washer Fibre Washer	33	Bearing in Shaft, \$×1	Iin.	17.7	1	-
Peg Spring for Peg Thrust Washer (front) Thrust Washer (rear) Thrust Washer (rear) Thrust Washer (rear) Thrust Washer (rear) Ball Bearing, 1½ × 2¼ × ¼in Rear Bearing Housing Locating Peg Lockwasher Nut First Speed Motion Shaft Lockwasher Speed Mainshaft Gear with cone Sleeve Sleeve *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve Springs Balls, ¼in. dia. Springs Balls, ¼in. dia. Laygear with bushes Balls, front Laygear with bushes Bush, front Laygear with bushes, rear Thrust Washer, rear Thrust Washer, rear Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Fibre Washer Fibre Washer	99	Motion	25.53	0.000	50908	-
Spring for Peg Thrust Washer (front) Thrust Washer (rear) Rear Bearing, 14 × 24 × 44 × 44 in. Rear Bearing Housing Locating Peg Locating Peg Locating Peg Locating Peg Riange for 3rd Motion Shaft Lockwasher Nut First Speed Wheel Sleeve Sleeve Sleeve Acone 3rd and 4th Speed Coupling Sleeve Sreeve Springs Balls, 4in. dia. Springs Balls, 4in. dia. Springs Layshaft Sheed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Sheedometer Wheel Speedometer Philon Bush Speedometer Philon Bush Speedometer Philon Fibre Washer Fibre Washer	3268	****	9449	(*,*,*)		
Thrust Washer (front) Thrust Washer (rear) Ball Bearing, 1½ × 2⅓ × ⅓in. Rear Bearing Housing Locating Peg Flange for 3Td Motion Shaft Lockwasher Nut First Speed Wheel Sleeve Collea *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Coupling Sleeve Springs Balls, ¼in. dia. Springs Balls, ¼in. dia. Springs Balls, ¼in. dia. Springs Balls, ¼in. dia. Thrust Washer, front Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Speed Washer, rear Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Speedometer Philon Fibre Washer Fibre Washer Fibre Washer Fibre Washer	5048	or Peg.	š	*	6.0	-
Ball Bearing, 1½ × 2⅓ × ¼n. Rear Bearing Housing Locating Peg Locating Peg Lockwasher Nut Lockwasher Nut Speed Wheel Sleeve Sleeve Sleeve Acone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Coupling Sleeve 3rd and 3rd Speed Coupling Adaptors Hinst Speed Coupling Adaptors Acone Springs Balls, ¼in. dia. Springs Balls, ¼in. dia. Thurst Washer, front Thurst Washer, front Thurst Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Speedometer Philon Fibre Washer	3267	Washer		1244		_ ,
Ball Bearing, 1½ × 2½ × ½in. Rear Bearing Housing Locating Peg Locating Peg Thirst Speed Wheel Lockwasher Nut First Speed Wineshaft Gear with cone Sleeve Sleeve ACONE 3rd Speed Mainshaft Gear with cone Sleeve ACONE 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Acone 3rd and 3rd Speed Coupling Adaptors Aprings Balls, ½in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Speed Coupling Adaptor Thrust Washer, rear Thrust Washer Philon Bush Fibre Washer Fibre Washer Fibre Washer	46	Washer	4	4	***	in l
Rear Bearing Housing Locating Peg Lockwasher Nut First Speed Wheel 2nd Speed Mainshaft Gear with cone Sleeve Collar *Cone 3rd Speed Mainshaft Gear with cone Sleeve Acone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Speed Coupling Adaptor Thrust Washer, rear Thrust Washer Pinjon Bush Speedometer Pinjon Fibre Washer Fibre Washer Fibre Washer	5880	Bearing, 14×	100	12	2000	-
Flange for 3rd Motion Shaft Lockwasher Nut Speed Wheel 2nd Speed Wainshaft Gear with cone Sleeve Collar Synchroniser *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, 4in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Laygear with bushes Bush, front Bush, front Thrust Washer, rear Thrust Washer, rear Thrust Washer, rear Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Fibre Washer Fibre Washer Fibre Washer Fibre Washer Fibre Washer	50	Bearing	* * *	***	*	
Flange for 3rd Motion Shaft Lockwasher Lockwasher Zud Speed Wheel Sleeve Collar Synchroniser *Cone *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone Sleeve Springs Balls, fin. dia. Springs Balls, fin. dia. Laygear with bushes Bush, front Laygear with bushes Bush, front Thrust Washer, rear Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Fibre Washer	53	*	2000	2000		→ 1.
Lockwasher Nut Sud Speed Wheel 2nd Speed Mainshaft Gear with cone Sleeve Collar Synchroniser *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptor Layshaft Speed Coupling Adaptor Layshaft Speedometer Wheel Speedometer Philon Bush Speedometer Philon Fibre Washer Fibre Washer	3207	3rd Motion	216.6	4.1.4	* * *	-
First Speed Wheel 2nd Speed Mainshaft Gear with cone Sleeve Collar Synchroniser *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Coupling Sleeve Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Shaft Reverse Shaft Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Philon Fibre Washer Fibre Washer Fibre Washer Fibre Washer Fibre Washer	40	vasher		777	4.53	p-14 7
First Speed Wheel 2nd Speed Mainshaft Gear with cone Sleeve Sleeve Synchroniser *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Speed Coupling Adaptor Thrust Washer, front Thrust Washer, rear Thrust Washer, rear Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Fibre Washer Fibre Washer Fibre Washer Fibre Washer	20	***		10.00	3	
2nd Speed Mainshair Gear with cone Sleeve Sleeve Synchroniser *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Speed Coupling Adaptor Thrust Washer, front Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Speedometer Philon Fibre Washer Fibre Washer Fibre Washer	3257	Speed Wheel		÷	24(4)4)	
Speed Mainshaft Gear with cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, ‡in. dia 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Speed Coupling Adaptor Thrust Washer, front Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Speedometer Philon Fibre Washer Fibre Washer	40.5	Speed Mainshaft Gear	n con	9	2.2.2	0.44
Synchroniser *Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Speed Coupling Adaptor Thrust Washer, front Thrust Washer, rear Thrust Washer, pan Bush Speedometer Philon Fibre Washer Fibre Washer	140	244		*		4
*Cone 3rd Speed Mainshaft Gear with cone Sleeve *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, 4in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Layshaft Layshaft Layshaft Layshaft Thust Washer, rear Thrust Washer Pinjon Bush Speedometer Pinjon Fibre Washer Fibre Washer	44	roniser			Î	4 (21)
3rd Speed Mainshaft Gear with cone *Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, 4in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Laysear with bushes Bush, front Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Fibre Washer Fibre Washer Fibre Washer Fibre Washer	3171		:	3		-
*Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, 4in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Laygear with bushes Bush, front Bush, front Thrust Washer, rear Thrust Washer, rear Reverse Shaft Reverse Shaft Reverse Wheel with bush Bush Speedometer Philon Bush Fibre Washer Fibre Washer	.98	Sneed Mainshaft Gear	h con	.:		Ţ
*Cone 3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, 4in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Laysear with bushes Bush, front Bush, front Thrust Washer, front Thrust Washer, rear Reverse Wheel with bush Bush Speedometer Wheel Speedometer Philon Fibre Washer Fibre Washer Fibre Washer	60	Sleeve	****	1	100	-
3rd and 4th Speed Coupling Sleeve 3rd and 4th Speed Synchroniser Springs Balls, 4in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Laygear with bushes Bush, front Bush, rear Thrust Washer, front Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Philon Bush Fibre Washer Fibre Washer Fibre Washer	3171			3 12	1	****
3rd and 4th Speed Synchroniser Springs Balls, 4in, dia. 2nd and 3rd Speed Coupling Adaptor Layshaft Laygear with bushes Bush, front Bush, front Bush, rear Thrust Washer, front Reverse Shaft Reverse Wheel with bush Speedometer Wheel Speedometer Philon Bush Speedometer Philon Fibre Washer	46	and 4th Speed Coupling	sleeve	***	-	-
Springs Balls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Laygear with bushes Bush, front Bush, front Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Speedometer Wheel Speedometer Philon Bush Fibre Washer	3169	and 4th Speed Synchroni	er	ī	1	H
Ealls, ‡in. dia. 2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Laygear with bushes Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Philon Bush Fibre Washer	8985	Springs	110	4.1.4	4	12
2nd and 3rd Speed Coupling Adaptors 4th Speed Coupling Adaptor Layshaft Layshaft Laygear with bushes Bush, front Thrust Washer, front Thrust Washer, front Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinion Bush Fibre Washer	4712	in.		(a) (b)	4.5	12
4th Speed Coupling Adaptor Layshaft Laygear with bushes Bush, front Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Whoel Speedometer Pinion Bush Fibre Washer	3177	and 3rd Speed Coupling	Adapt	ors	2	N
Layshaft Laygear with bushes Bush, front Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Pinion Bush Fibre Washer	3260	Speed Coupling			1	-
Laygear with bushes Bush, front Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinion Bush Fibre Washer	3667	Layshaft	8	800		-
Bush, front Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinton Bush Fibre Washer	3265	Laygear with bushes	16.00	* * *	4.4.4	-
Bush, rear Thrust Washer, front Thrust Washer, rear Reverse Shaff Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinion Bush Fibre Washer	3662	Bush, front	100	100	3.11	-
Thrust Washer, front Thrust Washer, rear Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinion Bush Fibre Washer	3256	H		100		
Reverse Shaft Reverse Shaft Reverse Wheel with bush Speedometer Wheel Speedometer Pinion Bush Fibre Washer	3668	44	***	+	0.00	-
Reverse Shaft Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinion Fibre Washer	3669		1464		1	-
Reverse Wheel with bush Bush Speedometer Wheel Speedometer Pinion Bush Fibre Washer	3214			÷	÷	_
Speedometer Wheel Speedometer Pinion Bush Fibre Washer	63		1843	ş;	100	н,
Speedometer Wheel Speedometer Pinion Bush Fibre Washer	83		9	÷	0.00	
Speedometer Pinion Bush Fibre Washer	3188		1000	Ÿ	1	-
Fibre Washer	234		Ť.	999	6,000	-
U Fibre washer	27		i	250	7000	
	7500	Washer	(4) (5)	100	7.777	(1)

*Cones are finished machined after being shrunk on gears. They can be supplied loose where facilities exist for the shrinking on and final machining.




CLUTCH AND FLYWHEEL

Number	per vehicle	1	2	-	pi-si	-	-	s-4		7	4			-	-		-	-	1	1 set	1 2	-	• .0	2	2	-	9	3		3	0	m 1	7	7) (7)	2 6)			→ Ų	4	0	
		6.0	1		1			1	4					1	1	•	ŝ	ngs 91),	:	:	: :				:	* * *	#6 #6 #6	:	:	:	•	100	*		* * *		6.6.6		3 (
				* * *	3				:					222	:	1	***	and Jinings (No. 40891),	:	*	ing		1		i	:	į	1	1	:	3	÷	į	*	(600)	3834	:	1	1	:	1	
			14		i	200					:			į	4.4.4	7,7.5	*		;	(14)	Assembly		-		:	1	:	:	:	:	:	;	:	1	300		10	*	shaft	:	:	
	ION		gearbox	8.00					1	9	Smring	9444	:			1.4	*	clutch plate ase bearing 3, 41628)	1				flywheel			9	1	-	:	:	STS	to:	944	***	*300	600	11	1	crankshaft	:	***	
	DESCRIPTION	Operating Shaft	for shaft in	***	g Ring	haft	Bolt			of Deturn Comine	j f	for letter		Withdrawal Fork	100		g Washer		Clutch Plate with linings	ngs (2) and rivets	Bearing and Cup) +	for chitch to	Washara		late	Springs	rers	Plate for levers	Spring Retainers	for release levers	Pins for release levers	olts	for eyebolts		attie opimigs	ith starter gear	nn.	Bolts for flywheel to			
		Clutch Ope		Washer	Spring	Lavar for Shaft	-	Nut	Washer	Clustob Dodel Detum	Clutch redai	Trumion	T. T	Clutch With	Cotter	Nut	Spring	Clutch Assembly less (No. 42080), rele and Springs (No	Clutch Plat	Clutch Linings' (2)	Release Bearin Retaining	Cover	Sorame	Spring	Dowels	Pressure Plate	Thrust Spr	Release Levers	Plate	Spring	Struts	Pins 1	Evebolts	Nuts	Apple Fins	Ann-1	Flywheel with	Starte	Bolts	Nuts	Lockw	
Dort	Number	1G 3261	Ü		1G 3198		2K 3053		2K 1202		10 3202					2K 3975	2K 1210	2H 3666	No. 42080	No. 40395	No. 40891 No. 41628	No. 40169	्राहर		2K 5844	No. 42200	No. 42074	No. 42201				No. 42204			No. 40310		16 755					




RONT AXLE

																																						,						
Number per vehicle		1	-	1	г	2	2	7	7	e	4	a	VC	VC	10	7	·	4	4.0	40	10	4		N o	0 0	0	N	20	70	N	OI C	V	7	7 (N	7	4	7	ω.	4	ぜ	4.0	0#	ক
Der Der	,sq	1			<i>i</i>	4.0.0	1		3				•	i	**()*			:	100	*	*				***	0.00	*	:	***	:	**	1212	÷	3.55			i	į	***	1	0.0	ì	:	ŧ
	es, hubs,	:	ř		0.00						÷	4444		4.64	į	: :			į	i i	ě			3	7	*	u,	Ē	* * *) #) #) #) #	ş	ž.	4.0.0	9.4.4	10.00	÷	Ē		*	î	1			17.7
	by with swivel axles, I		**	90	bushes						-	ī		***		burs		SWIVEL	swivel	bearings	pins	9			* * *	555	$35 \times 72 \times 17$ mm	åin.	1gs	***	;	joints	8	ŧ		333	÷	;	axle	;	33	•	100	i
	h swix			bush	with bus			1	top		bottom	7	:	44.4					or sw	st bear	0 4	avles	A153	*	***	1	$\times 72 \times$	12×	bearings	3.64	Rings	eather	÷	***	į	****	ams	pins :	to	***	90			1
PTION	dy with	rawes,	-	, with	de. wi				GP.		Pins,	1	45.5		1	ve.		ilite)	(Steel) for	for thrust	tor swivel axie			studs	244	i		er, 3×	m	S	ing R	4	70.00	60	14.4.4	***	ake dr	support	backplates	. :	linings		į	S
DESCRIPTION	Assem	levers	Front Axle Beam	Swivel Axle, offside, with bushes	Swivel Avla nearside.	Malch I	2	Split Pins	Surival		Bushes for Swivel 1	Swivel Axle Pins	Cotter Pins	Nuts	Spring Washers	Setscrews for swi	Tarrent Surde	Thrust Washers (Oilite) for	Thrust Washers (S	Cover	un "	in "	Greasers for sv			Wheel Nuts	Ball Bearings, inner,	100		Distance Pieces	Leather Oil Retaining	Distance Rings	Covers for Hubs	Washers	Greasers	Brake Drums		Backplates with su	ews,		Brake Shoes with	Linings		Brake Shoe Springs
Part	G3-107		1G 4215	1G 4185		10 4100	2000 MZ				1G 4096	1G 4090	IG 4091			2K 8890		1G 4196	1G 4123				2H 2792	G3-24A		1E 8006	2K 6508	2K 6507			1G 4019		0	1G 4193	2H 2942	16. 4190	2K 3824	1G 4102		2K 5725		1G 4183		1G 4162




FRONT AXLE—contd.

Number per vehicle	7	2	4.	4 4	+ -	H	4	4	494	- //	20	7	7	2.	4	70	7	7	4	4		2	9	7	7	-			-			1	-		10	,	1 4	ē 3	_		NE	4 (4		C) C	7
Nr per brake	2.2.4	35.5	669		•	;	4.6.0	*			27.7	***	***	7	***	ısing,	24	***	60.00	:	back	-9-4-6	back	0.00	1624	•••	:	300	100	100 E		****			*	1			*5 *0	***	3500	7 1			<u> </u>
	ate	;		600		÷		100				25.55	5		2000	nou t		**	*		side	200	side	***	***	1	1			*		8			* * *				**	•	9	1			3
olies l	Cover and Plate		1		co.	***	Ī	SS TH	0.00		*	1	200	:	ŧ	Assemblies, with housing,	į	* * *	- 2	4.4	nearside	į	d offside	**	č	*	***	:		****				3	1000		i		Arm	Lever	lever	:		•	ŝ
N Assemblies	overa	stud	257.7	3	Washers	(K)	1	plungers			+		***	1111	*	mblie	100	***	tes	:	and	**	front and	:	0.00	4.4.4		70	axle								¥.			Rod	and	:		ŧ	3
	ibber Dust	Expander Housings with	123	1	al Spring	Split Pins	Plunders for Expanders			Monte	Cones	Pins for cones	Rubber Dust Covers	85	Zinc Washers	Brake Shoe Adjuster Asse		Adjuster Housings	Setscrews to backplates	Spring Washers	Plungers, offside front	itions	rside	positions	Cones	Brake Balance Lever	Support for lever	1914	Cotter for support to	Nut	Sping Washer	Greaser			nea	loint Pins for rods	Split Pins	Tungs .	Steering Cross Rod Swivel		ts fo	Spring Washers	TARKA O		Plates for bumpers
Part Number G3-125			2K 5207		2K 2543			2K 1233	1117		1G 4109	O	C	1G 4203	V	1G 4114			2K 5219		16, 4117		16,4118		1G 4116	1G 4130			2K 5631			2H 2792		16 4141			2K 1227		1G 4217			2K 6253		1F 5563	



STEERING

Part	DESCRIPTION per vehicle	aber rebicle
G3-12B	Steering Assembly less steering wheel, arm and	
	traffic switch I	=
1A 6636	Steering Wheel	1
	Nut for steering wheel	-
2H 2741	Trafficator and Horn Switch 1	_
2H 2635	Trip lever for trafficator switch	,
2K 7412	Ferrule for trafficator switch tube	-
G3-13	Steering Box with Outer Column and Stud for	
	clamping cover 1	-
1G 6012	Felt Bush between outer and inner columns	-
2K 8129	Support Washer for felt bush 1	-
G3-25	Inner Column and Worm 1	-
1A 6617	Felt Bush between inner column and traffi-	
	cator switch tube 1	
1G 6081	Spring Ring at base of column, for worm	****
1G 6112	Thrust Washer 1	-
2H 3268	Roller Bearings for Worm, including Rollers, Cage and Bearing Cup	7




16 60097	IG 6091/2/3	2K3049 2K1210 2K3975 2K5060 2K4	IG 6101
		api v n	- P
Number per vehicle	0 0 7		1 1 1 2 2 3 as req'd 3
	retainer	ng cover ering box rews	
td. DESCRIPTION	Cup	rment Shim ·005in, thick rment Shim ·022in, thick Stud in steering box for clamping cover Nut for stud Setscrews, clamping cover to steering box Lockwashers for stud and setscrews Clamping Bolt Nut Spring Washer ting Screw Clocknut Spring Washer	Vasher for plug Masher for plug Ing Box Cover, with bushes Joint Washer Setscrews, cover to steering box Lockwashers Adjustment shims Setscrews, steering box to frame Spring Washers
STEERING—contd. Part Number 1G 6097 Worm Sector 1G 6126 Steering Arm 2K 5144 Nut 2K 5144 Split Pin 2K 5550 Lont Ring	Adjustment Shims '002in, thick Adjustment Shims '002in, thick Packing Washer '036in, thick Packing Washers '006in, thick Clamping Cover with oil seal and retainer Oil Seal Retainer for oil seal Adjustment Shims '002in, thick	Adjustment Shim ·005in, thick Adjustment Shim ·022in, thick Stud in steering box for clamp Nut for stud Setscrews, clamping cover to st Lockwashers for stud and sets Clamping Bolt Nut Spring Washer Adjusting Screw Locknut Spring Washer	Steering box Washer for plug Steering Box Cover, with bushes joint Washer Bushes Setscrews, cover to steering bo Lockwashers Adjustment shims Setscrews, steering box to fran Spring Washers
STEER Part Number 1G 6097 1G 6126 2K 5144 2K 1239 2K 5550		1G 6092 1G 6093 2K 3403 2K 3975 2K 3047 2K 5153 2K 3049	2K 8181 2K 4954 G2-247 IG 6101 IG 6111 2K 8894 2H 1931 2K 5976 2K 5976 ZK 5876 ZK 5876


G 6111

W10.22.A

STEERING RODS


Number per vehicle	_	-	_	-	2	2	2	2	-	-	2	2	2	2	П	2	2	2	2	2	23	7
	ublies	1	200	**	8	7	9364	1	80 80 80	200	***	:	***	* *	nblies	***	55		***		:	
	Assen		ad	ad	*	7.7.7	*	1	***	* * *	÷		*	:	Asser	1	:	1	3		i	
DESCRIPTION	Steering Cross Rod with Socket Assemblies	Cross Rod only	Socket Assembly, R.H. thread	Socket Assembly, L.H. thread	Felt Washers	Oust Covers, outer	Oust Covers, inner	Springs for dust covers	Locknut, R.H. thread	Locknut, L.H. thread	Lockwashers	Slotted Nuts for ball pins	Split Pins for ball pins	Greasers	Steering Side Rod with Socket Assemblies	Felt Washers	Dust Covers, outer	Oust Covers, inner	Springs for dust covers	Slotted Nuts for ball pins	Split Pins for ball pins	Greasers
	Steering	Cro	Soc	Soc	Fel	Dus	Dus	Spr	Loc	Loc	Loc	Slot	Spl	Gre	Steering	Fel	Dus	Das	Spr	Slo	Spl	Gre
Part	1G 4218	JX 5571	J 2367	J 2368	J 2375	J 2391	J 1943	J 1450	X 1096	X 1097	X 551	961 X	2K 1232	2H 2792	1G 4202	J 2375	J 2391	J 1943	J 1450	961 X	2K 1232	2H 2793





FRAM

Part	DESCRIPTION		per vehicle
200	Decree and Ploathoard with hrackets		-
63-102	Frame and Floorboard with brackets		è
1G 850	Engine Front Mountings with bolts	***	7
2K 3977	Nuts, front mountings to brackets		2
2K 5895	Spring Washers	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2
1G 5711	Bracket for Front Mounting, offside	3	1
1G 5712	Bracket for Front Mounting, nearside	•	1
2K 3092	Setscrews, brackets to frame	2000	*
2K 5319	Spring Washers		4
2K 3092	Bolts, front mounting to support plate	late	4
2K 3976	Nuts	100	4
2K 5319	Spring Washers		4
1F 5648	Rear Mounting with bolts		-
2K 3976	Nuts for bolts	***	4
2K 5319	Spring Washers	-	4
1G 5687	Support for Rear Mounting	1	1
2K 5257	Bolts, support to frame	***	4
2K 3976	Nuts for bolts	***	4
2K 5319	Spring Washers		4



Spring Washers.
Spring Shackle Plates with two pins Shackle Plates (loose)

Rear

3978 5861 5676 5677 5677

Vuts

Rear

5672

ZK ZK

pins

Nuts and Locknuts for shackle


Washers...

Grease Nipples, lower Grease Nipples, upper Rear Spring Clips ... Nuts and Locknuts Spring Washers... Pads ...


2793


3987 5861 5733 3977 5863 5753

Washers for shackle pins



	28	*				-37	9 -
Е							
ROLS	Number per vehicle	81111111	1 1 1 1 2 plate 1 1	#0		 ::::::::	and 1 1 1 and 1 1 1 1 1 1 1 1 1
INO	1 1			spes			pring Le pring Was et spring
CO	1 1	er with bushes lutch pedal lever for clutch pedal lever ret i Shaft i Shaft	nd support	Pedal Lever with sleeve and bushes Zinc Bushes		Screw Screw Sorew	od, S Spri brack m.:
) L	TON talk	bushes dal leve	stalk and	steeve	flange flange in aft in member	Lever	nrbl sh wit
FOOT	Pad with stalk for pedal pad	Lever with bushes for clutch pedal lever Bolt for clutch pedal Washer Pedal Shaft sher for clutch pedal Ring	Rod d cor or fork	rr with sleeve an for brake pedal ber	eturn Spring haft with fla to frame ashers Clip for shaft clip to brace men	Adjusting ng Screw n n cor brake co	er Assembly, and Catch Ro Bolt, Nut and brake lever to
H	DE Pad v for pe	Lever for clur clur Solt for Washer Pedal Susher for Sherr for She	sting Fat for rod or rod Pin for Pin for Pin for Pin for Pin for Pin fings	Lever voushes Bolt for Washer ng Clip	Shaft was to fra Washers on Clip for cl		Lever ler and ter, Bol nand bra pin
9	Pedal Rubber	Pedal Lever with Bushes for clutch p Greaser Clamp Bolt for cluf Spring Washer Clutch Pedal Shaft Lockwasher for clu Washer Spring Ring	Locknut for rod Locknut for rod Fork for rod Joint Pin for fork Spilt Pin Felt Rings Pedal Pad with Rubber for pedal	Pedal Lever Zinc Bushes Clamp Bolt i Spring Washe Locating Clip Greaser	Pedal Return Sp Pedal Shaft with Setscrews to frame Spring Washers Locating Clip for s Bolt for clip Washer Washer Bolt, clip to brace Nut Spring Washer	Pedal A Adjusting Locknut Trunnion Spring Collar for Adjusting	Brake Lever Trigger and Adjuster, Bo Bolt, hand br Nut Split Pin er and Catch Adjuster Rivet
ANI	Clutch Pedal Rubber	Clutch J	Clutch LL F F S S S F F Brake 1	Brake 1	Brake Pedal Return Spring Brake Pedal Shaft with flan Setscrews to frame Spring Washers Locating Clip for shaft Bolt for Clip Nut Washer Bolt, clip to brace men Nut Spring Washer Spring Washer	Brake	Hand Brake Lever Asser Trigger and Cate Adjuster, Bolt, Nu Bolt, hand brake le Nut Split Pin Trigger and Catch Rod, Adjuster Rivet
AND				144004	18 175 177 177 177	5780 5322 3985 5781 5537 5782 5783	92 3995 11231 98 5811 6296
V	Part Number 3 5685 3 5028	3652 5054 2793 3094 5319 3655 5040 5110	3656 3975 5175 5622 1231 5295 5717 5028	5771 5774 3094 5319 5779 2794	5818 5775 5257 5319 5319 3055 3375 3377 3377 3377	THE STATE OF THE S	
H	N N I D I	14 22 24 24 24 24 24 24 24 24 24 24 24 24	15 2K	2K 2K 1A 2H 2H	1A 2K 2K 2K 2K 2K 2K 2K 2K 2K 2K 2K 2K 2K	2K 2K 1A 1A 1A 1A	C3- 2K 2K 2K C3- C3- XK





Number G3-108 G3-105 2K 6017 2K 4975

1A 7710

G3-91

2K 6164 2K 5629

1G 7234

5319 7217/ 7218

5895

3977

7201

2K 2K 2K 2K 2K 2K 1G

3449 3976

W10.28.A.

101575

167193

	1G7191 629 7K6164 12107 12107			16-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-	(25)	SK 655		e iz	X 0.	OSEAL			C3-10	451		SK 262	TOWN TO THE TOWN T	→ TT Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z		3	
STIN TEN WAR DEPT. SPARE PARTS LIST	H	Rear Axie Assembly with nubs, prake drums and brakes 1 Rear Axie Case with spring seating, lug for shock absorber, balance lever bracket and studs for gear carrier 1	Oil Filler Plug Washer for filler plug	Breather Stem with Shroud, for gear carrier 1	earing	Studs for differential bearing caps 4 Nuts Spring Washers 1 Tont Washer 1	Studs for gear carrier to axle case 10 Nuts 10 Spring Washers 10	Differential Cases, offside and nearside 1 pair Setscrews	Differential Wheels	Differential Pinion Centre Peg, centre to differential case 1 [Bevel Pinion, 7 teeth 6.14 to 1 ratio 1	Setscrews, crown wheel to differential case 8 Lockwashers	Double Purpose Ball Bearings— 40×80×18×17\frac{1}{2}\text{mm.} Double Purpose Ball Bearing with split outer race—25×62mm.xlin	Roller Bearing—1 \$ × 2 1 × 1 in.— for Pinion, rear Retaining Screw for idler bearing 1	Lockwasher 1 Nut for bevel pinion 1	Flange for Propellor Shaft I Lockwasher for flange nut 1	Front Bearing Cover 56	Sleeve for Pinion Bearing	Pinion Adjusting Sleeve as red?d	thick	wheel st	Wheel Studs 8 Wheel Nuts

2K 8482 2K 5534 1G 7191 1G 7192 1G 7193 2K 6440 1G 7224/ 1G 7225


167238

2K 5954 2K 8787 2K 6285

2K 5958 2K 6509


Rear Hubs with wheel studs Wheel Studs ... Sleeve for Pinion Bearing ... Oil Retainer for bearing Pinion Adjusting Sleeve Shims .004in. thick Shims .006in, thick Differential Shafts Lockwashers 11G 7219 11F 7259 11F 7260 11G 7238 G3-27A 1A 7709 1E 8006 1A 3107 2H 751 2K 7174 1A 3207 1A 3140 1G 7197 2K 6972 1G 7196 1G 7196

Ball Bearings	E Se P P P P P P P P P P P P P P P P P P	Ox80x23 I hubs B Rings ngs sarings s srakes plates to a s in Lining ings ander As	mm axle th axle th ssemb				20000000000000000000000000000000000000	
Ball Bearings—40x 80x x23 mm. Washers for hubs Oil Retaining Rings Nuts for bearings Lockwashers Backplates for Brakes Bolts, backplates to axle tube ends Nuts for Brakes Brake Shoes Springs Linings Linings Linings Linings Linings Linings Linings Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Washers Split Pins to retain plungers Cones Rubber Dust Covers Split Pins to retain plungers Rubber Dust Covers Rubber Dust Covers Split Pins to retain plungers Rubber Dust Covers Split Pins for cones Rubber Dust Covers Plate for covers Split Pins for covers Rubber Dust Covers Plate Shoe Adjuster Assemblies with housing, Brake Shoe Adjuster Assemblies with housing, Dungers and cone Adjuster Housings Setsorews Spring Washers Spring Washers Plungers, nearside lower and nearside upper positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Carrier Pin Nut Spring Washer Split Pins Felt Ring Felt Rings Felt Rings Felt Rings	T se the second	over 80 x 23 representations of the second o	mm axle th axle th ssemb	The state of the s			400000 N 4 0000 4 4 4 0 0 0 0 4 4 4 4 4	
Oil Retaining Rings Distance Rings. Nuts for bearings Lockwashers Backplates for Brakes Blackplates for Brakes Blackplates for Brakes Blackplates for Brakes Brake Shoes with Linings Linings Linings Linings Linings Linings Rivets Brake Shoes with Linings Linings Linings Rivets Brake Shoes with Linings Linings Rivets Brake Shoes with Linings Rivets Brake Shoes with Linings Rouble Coll Spring Washers Spilt Pins for studs Double Coll Spring Washers Spilt Pins for covers Plungers for Expanders Rouber Dust Covers Plungers for covers Rubber Dust Covers Rubber Dust Covers Plungers for covers Rubber Dust Covers Plungers for covers Rubber Dust Covers Plungers for covers Rubber Adjuster Assemblies with housing, plungers and cone Adjuster Housings Setscrews Setsc	Washers for Washers For Distance Rii Nuts for be Lockwashers Screws Brake Drums Screws Backplates for B Bolts, backl Nuts Lockwashers Brake Shoes wit Linings Rivets Brake Shoe Spri Rivets Brake Capulle Coll Washers Split Pins	r nubs ngs arings s rrakes plates to i i i ings ander As ander As ander As ander As ings with uds l Spring V i ings with uds l Spring V	ssemb	in a series of the series of t			100000 04 0000 4 440 4 000 4 44 44 60 00 00 4 44 00 00 00 00 00 00 00 00 00	
Distance for Bearings Lockwashers Brake Drums Screws Backplates for Brakes Boits, backplates to axle tube ends Brake Shoes with Linings Linings Rivets Brake Shoe Springs Rivets Brake Shoe Springs Rander Housings with studs Nuts for studs Double Coil Spring Washers Split Pins Plungers for Expanders Split Pins Rubber Covers Rubber Lox cones Rubber Lox covers Split Pins to retain plungers Rubber Covers Rubber Covers Plate for covers Split Pins to retain plungers Rubber Dust Covers Rubber Lox dowers Plate for covers Split Pins for cones Rubber Adjuster Assemblies with housing, plungers and cone Adjuster Housings Setscrews Setscrews Spring Washers Plungers, nearside lower and offside upper positions Plungers, nearside lower and offside upper positions Carrier Pin Carrier Pin Carrier Pin Carrier Pin Spring Washer Felt Ring Greaser Garier Cross Rod, Nearside Brake Gross Rod, Nearside Split Pins, rods to balance lever Split Pins Felt Ring Rear Axte Bumpers	Distance Rillian Nuts for be Lockwashers Brake Drums Screws Backplates for B Bolts, backl Nuts Lockwashers Brake Shoes wit Linings Rivets Brake Shoe Spri Rear Brake Exproder Housin Nuts for st Double Coil Washers Bxpander Housin Nuts for st Double Coil Washers Split Pins	ngs arings s rakes plates to s in Lining in Lining ings ander As ander As ander As r dust cov ngs with uds l Spring V	axle tu	s s s s s s s s s s s s s s s s s s s			NUU U4 U0004 440 4	
Brake Drums Screws Lockwashers Backplates for Brakes Bolts, backplates to axle tube ends Nuts Lockwashers Brake Shoes with Linings Linings Expander Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Split Pins Rollers Cones Rubber Dust Covers Pins for cones Pins for cones Pins for cones Rubber Dust Covers Pins for cones Rubber Dust Covers Split Pins Rollers Cones Rubber Mushers Split Washers Spring Washers Spring Washers Spring Washers Cones Rudgers, offside lower and offside upper positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Brake Balance Lever Carrier Pin Nut Spring Washer Brake Gross Rod, Nearside Grasse Garrier Pin Spring Washer Split Pins Felt Ring Gresser Garrier Pin Spring Washer Split Pins Felt Ring Felt Felt Ring	Brake Drums Screws Brake Drums Screws Backplates for B Bolts, backj Nuts Limings Brake Shoes wit Limings Rivets Brake Shoe Spri Rear Brake Exp rod, rubbet rod, rubbet Cxpander Housit Nuts for st Double Coil Washers Split Pins	s srakes plates to is in Lining. ings ander As ander As ander As ander As ings with uds l Spring V	axle that seem by seem by seem by study asher	s s s s s s s s s s s s s s s s s s s			UU U4 U0004 440 4 UU4444444	
Brake Drums Screws Backplates for Brakes Backplates for Brakes Brake Shoes with Linings Linings Linings Rivets Brake Shoes with Linings Linings Rivets Brake Shoes Springs Rivets Brake Shoe Springs Rivets Brake Shoe Springs Rivets Brake Shoes with Linings Fix of rubber dust cover and plate rod, rubber dust cover and plate rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Split Pins to retain plungers Rubber Dust Covers Split Pins to retain plungers Rubber Dust Covers Plungers for covers Split Pins to retain plungers Rubber Dust Covers Split Pins to retain plungers Rubber Dust Govers Plungers and cone Adjuster Housings Spring Washers Spring Washers Plungers, offside lower and offside upper positions Carrier Pin Spring Washer Brake Balance Lever Carrier Pin Spring Washer Carrier Pin Spring Washer Spring Washer Brake Gross Rod, Offside. Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Balmpers Felt Ring Fel	Brake Drums Screws Backplates for B Bolts, backj Nuts Lockwasherr Brake Shoes wit Limings Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Expander Housin Nuts for st Double Coil Washers Split Pins	s s plates to a s s th Lining ings ander As ander As ander As ander As r dust cov ngs with uds l Spring V	axle tu	s i i s pe			0 U4 U004 440 4 004444444	
Brake Drums Screws Backplates for Brakes Boits, backplates to axle tube ends Nuts or structure Expander Housings Rivets Brake Shoes with Linings Linings Rivets Brake Shoe Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Washers Split Pins Plungers for Expanders Plate for covers Plate Shoe Adjuster Assemblies with housing, plungers and cone Adjuster Housings Spring Washers Plungers, offside lower and nearside upper positions Cones Brake Balance Lever Carrier Pin Nut Washers Brake Carrier Pin Nut Washers Brake Cross Rod, Offside. Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Bumpers Felt Rings Felt Rings Felt Rings Rear Axte Bumpers	Brake Drums Screws Backplates for B Bolts, backl Nuts Lockwasher Brake Shoes wit Kivets Rivets Brake Shoe Spri Rar Brake Exp rod, rubber Expander Housit Nuts for st Double Coil Washers Split Pins	rakes plates to is the Linings ings ander As ander As r dust cov ngs with uds 1 Spring V	axle th	s : : : : : : : : : : : : : : : : : : :			N4 N004 440 4 NN4444444	
Backplates for Brakes Bolts, backplates to axle tube ends Nuts Lockwashers Brake Shoes with Linings Linings Expander Brake Expander Assemblies less brake rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Split Pins Plungers for Expanders Plate for covers Split Pins Plungers for Expanders Split Pins to retain plungers Rollers Gones Rubber Dust Covers Plate for covers Split Pins to retain plungers Rollers Gones Rubber Dust Covers Plate for covers Split Pins to retain plungers Rollers Gones Rubber Dust Covers Plate for covers Split Pins to retain plungers Rollers Gones Rubber Dust Covers Plate for covers Split Pins to retain plungers Plungers, offside lower and offside upper positions Plungers, nearside lower and offside upper positions Plungers, nearside lower and offside upper positions Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Nearside Felt Ring Greaser Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Felt Ring Fe	Backplates for B Backplates for B Bolts, backl Nuts. Lockwasher. Lockwasher. Brake Shoes wit Linings. Rivets. Brake Shoe Spri Roar Brake Exp rod, rubber Expander Housit Nuts for st Double Coil Washers Split Pins	rakes plates to is s th Linings ings ander As ander As r dust cov ngs with uds 1 Spring V	ssemb ssemb ser and studs	s i i s i s i s i s i s i s i s i s i s			4 NOO4 440 4 NO4444444	
Backplates for Brakes Bolts, backplates to axie tube ends Nuts Lockwashers Brake Shoes with Linings Linings Rivets Brake Shoes with Linings Rivets Brake Expander Assemblies less brake rod, tubber dust cover and plate rod, tubber dust cover and plate rod, tubber covers Split Pins Plungers for Expanders Split Pins to retain plungers Rolber Dust Govers Plate for covers Split Pins to retain plungers Rolber Dust Govers Plate for covers Split Pins to retain plungers Rolber Dust Govers Plate for covers Split Pins to retain plungers Rolber Dust Govers Split Pins to retain plungers Rolber Dust Govers Split Pins do retain plungers Plungers, nearside lower and nearside upper positions Plungers, nearside lower and offside upper positions Plungers, nearside lower and offside upper positions Plungers, nearside lower and offside upper positions Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Nearside Greaser Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Ring	Backplates for B Bolts, backpl Nuts Lockwasher Brake Shoes wit Linings Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Expander Housin Nuts for st Double Coil Washers Split Pins	s s in Linings ander As ander As ander Cov ngs with ads l Spring V	ssemb	s i i i i i i i i i i i i i i i i i i i			0000 4 4 4 0 4 0 0 0 0 0 4 4 4 4 4 4 6 0	
Backplates for Brakes Baolts, backplates to axle tube ends Nuts Lockwashers Lockwashers Linings Linings Expander Axsemblies less brake rod, rubber dust cover and plate rod, rubber dust cover and plate rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Split Pins to retain plungers Rubber Dust Covers Plate for covers Split Pins for cones Rubber Dust Covers Rubber Dust Covers Plate for covers Split Pins for cones Rubber Adjuster Assemblies with housing, plungers and cone Adjuster Housings Setscrews Spring Washer Felt Ring Grasser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Felt Rings Felt Rings Felt Rings Felt Rings Felt Rings Brake Bumpers	Backplates for B Bolts, backl Nuts Lockwasher: Brake Shoes wit Linings Rivets Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Expander Housin Nuts for st Double Coil Washers Split Pins	plates to general plates to in the Lining's ander As ander As ander As ander As ander As ander As a l'Spring V l'Spring V l'Espring V l'Es	ss ssemb ser and studs vasher	be of the second		1111 1111 1 2 1 1111 11 1	10004 440 4 61 01 01 44 44 44 48 61	
Bolts, backplates to axle tube ends Nuts Lockwashers Linings Expander Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Nuts for studs Double Coil Spring Washers Split Pins Rollers Cones Rubber Dust Covers Plane for covers Plate for covers Plate for covers Cones Rubber Dust Covers Plate for covers Plate for covers Split Pins to retain plungers Rollers Cones Rubber Dust Covers Plate for covers Spring Washers Plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside upper positions Plungers, nearside lower and offside upper positions Carrier Pin Nut Spring Washer Carrier Pin Nut Spring Washer Spring Washer Carrier Pin Nut Spring Washer Carrier Pin Nut Spring Washer Felt Ring Gresser Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Felt Rings Rear Axle Bumpers	Bolts, backy Nuts Lockwasher: Brake Shoes wit Kivets Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Expander Housin Nuts for st Double Coil Washers Split Pins	s ings ander As ander As r dust cov ngs with uds I Spring V	ssemb ssemb er and studs vivi	be of the second		HII I HII I S I HII I I I I	0 00 4 4 4 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6	
Brake Shoes with Linings Linings Linings Rivets Brake Shoes with Linings Rivets Brake Shoe Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate Double Coll Spring Washers Nuts for studs Nuts for studs Split Pins Plungers for Expanders Split Pins to retain plungers Rollers Cones Pins for covers The Adjuster Assemblies with housing, plungers and cone Adjuster Housings Spring Washers Plungers, offside lower and nearside upper positions Plungers, nearside lower and offside upper positions Carrier Positions Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Brake Balance Lever Carrier Pin Nut Spring Washer Brake Gross Rod, Nearside Joint Pins, rods to balance lever Spring Plungers Felt Ring Gresser Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Felt Rings Felt Rings Felt Rings	Nuts Lockwasher Brake Shoes wit Linings Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Expander Housit Nuts for st Double Coil Washers Split Pins	th Linings ings ander As ander As r dust cov ngs with nds 1 Spring V	s ssemb ssemb studs r r r r r r r r.	blas s			0 4 4 4 0 4 0 0 0 0 4 4 4 4 4 4 6 0	
Brake Shoes with Linings Limings Rivers Rivers Brake Shoe Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Split Pins Plungers for Expanders Split Pins to retain plungers Plungers for Expanders Split Pins to retain plungers Rubber Dust Covers Zinc washers Plate for covers Zinc washers Plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside upper positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Brake Balance Lever Carrier Pin Nut Spring Washer Brake Gross Rod, Offside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Spring Felt Rings Felt Rings Rear Axle Bumpers	Lockwasher: Brake Shoes wit Linings Rivets Brake Shoe Spri Rear Brake Exp rod, rubbee Expander Housin Nuts for st Double Coil Washers Split Pins	th Lining: ings ander As ander As angs with uds l Spring V	s ssemb ssemb studs tuds plunge	i i i i i i i i i i i i i i i i i i i			+ 440 4 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Brake Shoes with Linings Linings Rivets Brake Shoe Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Washers Split Pins Plungers for Expanders Cones Rubber Dust Govers Plate for covers Zinc washers Rubber Dust Govers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with housing, plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside upper positions Positions Positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Brake Balance Lever Carrier Pin Nut Spring Washer Felt Ring Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, Diffside Brake Gross Rod, so balance lever Split Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Brake Shoes wit Linings Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Expander Housin Nuts for st Double Coil Washers Split Pins	ings ander As ander As r dust coy ngs with uss with uss in 1 Spring V	ssemb ssemb er and vasher	plas plas			440 4 NU4444444	
Expander Assemblies less brake rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers Washers Spilt Pins to retain plungers Spilt Pins to retain plungers Cones Rubber Dust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with housing, plungers and cone Spring Washers Brake Shoe Adjuster Assemblies with housing, plungers and cone Spring Washers Plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, nearside lower and offside upper positions Plungers, nearside lower and offside upper positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Brake Gross Rod, Offside. Brake Gross Rod, Nearside Brake Gross Rod, Nearside Brake Gross Rod, balance lever Splint Pins, rods to balance lever Splint Pins, rods to balance lever Splint Pins Felt Rings Felt Rings	Linings Rivets Brake Shoe Spri Rear Brake Exp rod, rubber Fxpander Housin Nuts for st Double Coil Washers Split Pins	ings ander As r dust cov ngs with uds Spring V	ssemb studs studs studs	plas ::::::::::::::::::::::::::::::::::::	11 19 11 11 11 11 11	age 1 1 1 1 1 1 1 1 1	40 4 604444444	~
Rivets Brake Shoe Springs Rear Brake Expander Assemblies less brake rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Double Coil Spring Washers. Split Pins to retain plungers Rollers Gones Rubber Dust Govers Plate for covers Zinc washers Rubber Dust Govers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with housing, plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, nearside lower and nearside upper positions Plungers, nearside lower and offside upper positions Carrier Pin Nut Spring Washer Spring Planse Lever Carrier Pin Nut Spring Planse Cross Rod, Offside Brake Gross Rod, Offside Brake Gross Rod, balance lever Split Pins Felt Rings Rear Axle Bumpers	Rivets Brake Shoe Spri Rear Brake Exp rod, rubber rod, rubber Expander Housin Nuts for st Double Coil Washers Split Pins	ings ander As ander As ngs with uds 1 Spring V	ssemb er ander and	ies plas	1 : 2 : 1 : 1 : 1 : 1 : 1 : 1	ake .	0 4 6644444446	
Brake Shoe Springs Rear Brake Expander Assemblies less rod, rubber dust cover and plate Expander Housings with studs Nutis for studs Double Coil Spring Washers Split Pins Split Pins Split Pins to retain plungers Cones Rollers Cones Brake Shoe Adjuster Assemblies with hor plungers and cone Adjuster Housings Setscrews Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, rearside lower and offside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Brake Cones Brake Gross Rod, Offside Garrier Pin Nut Spring Pins rods to balance lever Split Pins Felt Ring Rear Axle Bumpers	Brake Shoe Spri Rear Brake Exp rod, rubbea Expander Housin Nuts for st Double Coil Washers Split Pins	ings ander As ander cov ings with uds I Spring V panders to retain i	ssemb ser and studs Vasher	pla pla		ake:	4 224444444	
Rear Brake Expander Assemblies less rod, rubber dust cover and plate Expander Housings with studs Nuts for studs Split Pins Flungers for Expanders Split Pins to retain plungers Rollers Cones Rubber Dust Covers Plate for covers Einc washers Rubber Dust Covers Plate for covers Einc washers Setscrews Setscrews Setscrews Setscrews Setscrews Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Carrier Pin Nut Spring Washer Carrier Pin Nut Spring Washer Carrier Pin Nut Spring Pins, rods to balance lever Split Pins Felt Ring Rear Axle Bumpers	Rear Brake Expander Housin Expander Housin Nuts for st Double Coil Washers Split Pins	ander As ander As ngs with uds 1 Spring V	ssemb studs Vasher	pla	giiiiiiiiiiii	ake	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-
Expander Housings with stude Nuts for studs Nuts for studs Double Coil Spring Washers Split Pins to retain plungers Split Pins to retain plungers Rubber Dust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with houpingers, offside lower and nearside positions Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Plungers, offside lower and offside positions Rubber Carrier Pin Nut Spring Washers Felt Ring Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Split Pins, rods to balance lever Split Pins Rear Axle Bumpers	Kear brake Lxp rod, rubbea Expander Housin Nuts for st Double Coil Washers Split Pins	anuer Anuer Anuer Anuer Cover and Spring V	studs studs 	of distriction of the state of			0 0 4 4 4 4 4 4 8 0	-
Expander Housings with studs Nuts for studs Nuts for studs Nuts for studs Washers Split Pins Plungers for Expanders Split Pins to retain plungers Roblers Cones Pins for cones Rubber Dust Covers Zinc washers Plungers and cone Adjuster Housings Setscrews Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Carrier Carrier Carrier Nut Nut Spring Washer Felt Ring Greaser Garrier Pin Nut Spring Washer Carrier Diostitions Felt Ring Greaser Split Pins Felt Ring Rear Axle Bumpers	Expander Housin Muts for st Double Coil Washers Split Pins	ngs with nds 1 Spring V panders to retain 1	studs Vasher	I I I I I I I I I I I I I I I I I I I			12444444	-
Expander Housings With Studs Nuts for studs Double Coil Spring Washers Washers Split Pins Flungers for Expanders Split Pins to retain plungers Gones Rubber Dust Govers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hop plungers and cone Adjuster Housings Setscrews Setscrews Spring Washers Plungers, offside lower and nearside positions Positions Plungers, nearside lower and offside positions Carrier Felt Ring Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Split Pins Felt Rings Rear Axle Bumpers	Expander House Nuts for st Double Coil Washers Split Pins	ngs wun uds 1 Spring V panders to retain j	Vasher				1 4 4 4 4 4 4 8 8	
Double Coil Spring Washers. Washers. Split Pins Split Pins to retain plungers Split Pins to retain plungers Cones Rubber Dust Covers Plate for covers Zinc washers Setscrews Spring Washers Spring Washers Plungers, nearside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier C	Nuts for st Double Coil Washers Split Pins	l Spring V	Vasher	: ; : : : : : : : : : : : : : : : : : :			+ + + + + + + + + * * * * * * * * * * *	-
Double Coil Spring Washers Spilt Pins to retain plungers Spilt Pins to retain plungers Rollers Cones Rubber Dust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hoppingers, offside lower and nearside positions Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Pin Nut Spint Washer Carrier Pin Nut Spint Pins, rods to balance lever Spilt Pins Felt Ring Brake Gross Rod, Nearside Brake Gross Rod, Nearside Spilt Pins Felt Rings Rear Axle Bumpers	Double Coil Washers Split Pins	Spring v panders to retain	vasher	; : : : _s : :			† 4 4 4 4 4 0	-
Spitt Pins Plungers for Expanders Spitt Pins to retain plungers Rollers Cones Pins for cones Rubber Dust Covers Zinc washers Plungers and cone Adjuster Housings Setscrews Setscrews Spring Washers Plungers, nearside lower and nearside positions Positions Garrier Carrier Carri	Washers Split Pins		 blunge	: : : s : :	: : : : : : : :		4 4 4 4 4 0	
Split Pins Split Pins to retain plungers Rollers Cones Rubber Dust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hop plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carri	Split Pins		olunge 	: : : :	: : : : : :		4448	
Plungers for Expanders Split Pins to retain plungers Rollers Cones Rubber Dust Covers Plate for covers Zinc washers Zinc washers Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	4		plunge	: si :	11:11	: : :	4 4 4 0	
Split Pins to retain plungers Rollers Cones Pins for cones Rubber Dust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hop plungers and cone Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Rones Brake Balance Lever Carrier Carrier Carrier Carrier Carrier Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Plunders for Ex		plunge 	: :	: : : :	1	4 4 7	
Rollers Cones Pins for cones Pust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hophungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Positions Cones Brake Balance Lever Carrier	Split Pins 1		1 1	: :	: ::	1	4 7	
Cones Pins for cones Rubber Dust Covers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hoppingers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Cones Brake Balance Lever Carrier Carrier Carrier Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Greaser Spring Pins, rods to balance lever Split Pins Felt Rings Felt Rings Rear Axle Bumpers	Rollers	***		1	: :		7	
Rubber Dust Govers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hor plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers					1			
Rubber Dust Govers Plate for covers Zinc washers Brake Shoe Adjuster Assemblies with hoplungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Positions Cones Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers		Setti		37.77.0		,	7	
Rubber Dust Covers Zinc washers Brake Shoe Adjuster Assemblies with hop plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Carrier Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Felt Rings Rear Axle Bumpers	D. the Deat Co	00000					2	
Erace too washers Erace Shoe Adjuster Assemblies with hop plungers and cone Adjuster Housings Setscrews Serscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Gones Brake Balance Lever Carrier Carrier Carrier Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Kubber Dust Co	OTOTO O					12	
Brake Shoe Adjuster Assemblies with hoppingers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Carrier Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Brake Cross Rod, Nearside Split Pins Felt Rings Felt Rings Felt Rings Rear Axle Bumpers	Tiate 101 C	CVCIS	111				2	
Brake Shoe Adjuster Assemblies with no plungers and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Cones Brake Balance Lever Carrier Pin Nut Expring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Spint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Zille wasile		***	1,000	Tanana.	Tank A	i.	
Adjusters and cone Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Cones Brake Balance Lever Carrier Carrier Carrier Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Plus, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Brake Shoe Adju	ister Asse	mous	SS WILL	nonı	ing,	C	
Adjuster Housings Setscrews Spring Washers Plungers, offside lower and nearside positions Cones Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Joint Pins, rods to balance lever Split Pins Felt Rings Felt Rings Rear Axle Bumpers	plungers a	-		*			3 (
Setscrews Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Carrier Carrier Carrier Carrier Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Split Pins Felt Rings Felt Rings Felt Rings Rear Axle Bumpers	Adjuster Housin	s51	4.0.4		***	1	ч -	
Spring Washers Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Carrier Carrier Pin Nut Spring Washer Felt Ring Grasser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Rings Felt Rings Rear Axle Bumpers	Setscrews	*	*	* * *	*	9	4. 4	
Plungers, offside lower and nearside positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Spring Was	shers	***	* * *	1.00	ž	4	
Positions Plungers, nearside lower and offside positions Cones Brake Balance Lever Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Plunders, offsid	ie lower		nears		pper		
Plungers, nearside lower and offside positions Gones Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers			***	:		:	7	
Gones Garrier Carrier Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers		side lowe				pper		
Cones Brake Balance Lever Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Brake Cross Rod, Nearside Split Pins Felt Rings Felt Rings Rear Axle Bumpers	-				- 6		2	
Brake Balance Lever Carrier Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axie Bumpers					3	277	2	
Brake Balance Lever Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	COTTES		ŕ	23.00			-	
Carrier Pin Nut Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axie Bumpers	Вгаке	Lever	÷	5	100		٠-	
Carrier Pin Nut Spring Washer Felt Ring Greaser Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Carrier	0.00	13.5	11212			4 11	
Spring Washer Spring Washer Felt Ring Greaser Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Carrier FILL		ì	17.75	1	*	4.0	*
Spring Washer Felt Ring Greaser Brake Gross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Nut	****	:	9	4.0	* * *	of e	
Felt Ring Greaser Greaser Brake Cross Rod, Offside Braike Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Spring Wa	sher	4.4.4	9	2550	1000		
Greaser Brake Gross Rod, Offside Brake Gross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Felt R		***	\$	ě,	*		
Brake Cross Rod, Offside Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers			4 4 4	9	3	255		
Brake Cross Rod, Nearside Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Brake		9		1	0.00	-	ė.
Brake Cross Kod, Pearsing Joint Pins, rods to balance lever Split Pins Felt Rings Rear Axle Bumpers	Ducte Cues	41	140			Of the last	-	
Split Pins Felt Rings Rear Axle Bumpers	Brake Cros		haland	TAVAL O			10	
Sput Fins Felt Rings Rear Axle Bumpers	Joint Split	of spor ,	Dalan	101		200	N	
Rear Axle Bumpers	Split					1 5	1 4	
Rear Axie Bumpers	reit	100			1		. 6	ž =
	Rear Axle	ipers					* *	




PROPELLER SHAFT

Number per vehicle	1 3	-	2	н-		-	et	7	d)		ω·	-	90 (4.
	oint	;	-		: :	:	ask	•	Raci	÷	:	:	3		3
	with j	spuə	1	į	: :	:	ing G		Assemblies (Race	*	•	1	:	•	1
	nbly	bare	į.	:	: :	÷	nclud	:	embl	:	:	43.6	:	:	:
DESCRIPTION	Propeller Shaft Assembly with joints	Propeller Shaft with bare ends	Flange Yokes	Sleeve Yoke	Dust Cap	Cork Washer	Journal Assemblies including Gasket	and Retainer	Needle Bearing Ass	and Rollers)	Snap Rings	Grease Nipple	Bolts for flanges	Nuts	Lockwashers
Part	1G 7185	K1-62-122- GB, 112-4725	K1-2-39	K1-3-GB18	K1-14-GB19	K1-16-GB13	K1-5-GB28		K1-6-GB28		K1-7-GB19	2H 2942	2K 4899		



SHOCK ABSORBERS

Number per vehicle	-	T	-	1	-		10					7		4 4				П				4
-	***	9.7	*		1	front		1		:	frame,	***	frame,	:	•	:	i	3	:	***	**	
	**	: ::	2 2 2	8 8	:	and	Ē	: :	brackets	*	ets to		ets to			3	•	1	de	to frame	:	7.00
	offside	nearside	de	le	side	side frame	*		to	***	Spring Washers Spring Washers	:	Bolts, shock absorber brackets to frame,	* * *	•	* * *		offside	Absorber, nearside	ers to		•
DESCRIPTION		ber, r	, offsi	half, offside	, near	, near	:		Ur.	***	bsorbe	1	bsorbe	*		ers	ses ···		rber,	shock absorbers	****	ers
DESCR	Absorber,	Absorber,	ıt half		nt half	r half, bracket	ıting	Washers	shock	•	Washers		shock a	.;	Nuts for bolts	Spring Washers	Distance Pieces	Absorber,				Spring Washers
	Shock	Shock	t, fror	Bracket, rear	Bracket, front half, nearside	Bracket, rear half, nearside Bolts, bracket to fran	mounting	Spring		Nuts	Spring Rolfs s	long	Bolts,	short	Nuts f	Spring	Distan	Shock	Shock	Bolts,	Nuts	Spring
	Front	Front	Bracket, front half, offside	Bracke	Bracke	Brack												Rear	Rear			
Part	3536	3537	5819	5820	5821	5822		3976	6064	3977	5895	0000	8490		3977	5895	5770	2795	2796	5675	3977	5895
G E	(C)	17	4	4	A.	AM		A					X		K	K	A	H	H)K	2K	2K



ROAD WHEELS

 IG 8033
 Road Wheels for 6.00in.×16in. E.L.P.

 Tyres
 ...


 IG 8034
 Caps for wheels



7.1


STOO

Number	per vehicle	ver 1		stment 1	×4in 1			I	Clearance	1		-		-:			2	***	No.	T		ıd 1	***	H	-			and	-	T		150 E	(Jin. wid		i sqn	36 w. Lucas	-		Luc	w. I	I I : : : :	M	w. I	I
	DESCRIPTION	Gauge and		Plate for tappet	Ended Spanner,	Ended Spanner, fim.	Ended Spanner, Linn.	Plug	parking Plug and Tappet	QU			djustable Spanner	crewdriver	ombination Pliers	ammer	yre Levers	yre Valve Tool	yre Pressure Gauge (Schrader	ifting Jack	Shaft for jack—jack end	Shaft for jack—handle en	Handle only	/heel Brace	yre Foot Pump	e Gun, less	for	aspection Lamp with Cable		il Funnel	Can	can Carrier	Insulating Tape	per Wire (Box with	sox only Lamp Bulb (12v.	54)		Lamp Bulb (12v.	Side Lamp Bulb (12v. No. 207)	Side Lamp Bulb (12v. No. 207)	Side Lamp Bulb (12v. No. 207) Wrap	Side Lamp Bulb (12v. No. 207) Wrap Bag	Side Lamp Bulb (12v. No. 207) Wrap Bag
	Number	2H 1697 I	2H 1361 T	2H 2909 L	2H 88 L	2H 89 D	2H 83 E	2H 2699 S	2H 2977 S		2H 86 T	2H 3127 E	2H 2647 A	2H 84 S	2H 110 C	2H 3444 F	2H 1027 T	2H 1683 T	2H 3435 T	2H 3609 I	2H 3612	2H 3611	2H 1585	2H 918	2H 3570]	2789	2H 2790	2H 3448 I		2H 3453 (3442	3407	3445	3446	3552				2H 3554	3554	3554 2037 3436	3554 2037 3436	3554 2037 3436	3554 2037 3436
1697 Ignition Gauge and Screwdriver 1361 Tappet Screw Spanner 2909 Locking Plate for tappet adjustment 288 Double Ended Spanner, \$\frac{1}{2}in	1697 Ignition Gauge and Screwdriver 1361 Tappet Screw Spanner 2909 Locking Plate for tappet adjustment 88 Double Ended Spanner, \$\frac{3}{4}\text{in.} \times \frac{4}{4}\text{in.}\$ 89 Double Ended Spanner, \$\frac{3}{4}\text{in.} \times \frac{4}{4}\text{in.}\$ 2977 Sparking Plug Box Spanner 2977 Sparking Plug Box Spanner 2977 Sparking Plug and Tappet Clearance 86 Tommy Bar 2047 Adjustable Spanner 84 Screwdriver 110 Combination Pliers 2047 Adjustable Spanner 2052 Tyre Levers 107 Tyre Levers 108 Tyre Valve Tool 3435 Tyre Proot Pump 206 Lifting Jack 3611 Shaft for jack—handle end 3612 Shaft for jack—handle end 3613 Handle only 3614 Hannel 3615 Shaft for jack—handle end 3616 Lifting Jack 3617 Adaptor for grease gun 3618 Adaptor for grease gun 3619 Adaptor for grease gun 3610 Can Carrier 36	1361 Tappet Screw Spanner 2909 Locking Plate for tappet adjustment 88	2909 Locking Plate for tappet adjustment 88 Double Ended Spanner, \$\frac{1}{2}\text{in} \times \frac{1}{2}\text{in}\$. \$\frac{1}{2}\text{in}\$. \$\f	88 Double Ended Spanner, \$\frac{3}{6}\tinx \times \frac{3}{8}\tin\$ 89 Double Ended Spanner, \$\frac{3}{6}\tinx \times \frac{3}{8}\tin\$ 2699 Sparking Plug Box Spanner 2977 Sparking Plug and Tappet Cleapance Gauge 86 Tommy Bar 2647 Adjustable Spanner 2647 Adjustable Spanner 1027 Tyre Levers 1107 Combination Pliers 1108 Tyre Pressure Gauge (Schrader No. 7750) 3609 Lifting Jack Shaft for jack—handle end 1585 Tyre Foot Pump 1350 Light Spanner 2789 Grease Gun, less adaptor 1348 Inspection Lamp with Cable and Plug (12-volt) 3440 Bracket for Spare Sparking Plug 1345 Oil Can 1345 Copper Wire (15 feet) 1345 Tin Box with spare lamp bulbs Tin Box with spare lamp bulbs Tin Box with spare lamp bulbs 13554 Side Lamp Bulb (12v. 6 w. Lucas No. 207) 12037 Tool Wrap 12037 Tool Wrap 1357 Tool Wrap 1357 Tool Wrap 1358 Double Ended Spanner \$\frac{3}{6}\times \frac{1}{6}\times	89 Double Ended Spanner, \$\frac{1}{16}\tilde{\text{in}}\tilde{\text{sin}}\tex	83 Double Ended Spanner, ½in. ×½in. 2699 Sparking Plug Box Spanner 2977 Sparking Plug and Tappet Clearance 86 Tommy Bar 2647 Adjustable Spanner 2647 Adjustable Spanner 110 Combination Pliers 144 Hammer 1027 Tyre Levers 1683 Tyre Pressure Gauge (Schrader No. 7750) 3435 Tyre Pressure Gauge (Schrader No. 7750) 3609 Lifting Jack 3612 Shaft for jack—handle end 3611 Shaft for jack—handle end 3612 Shaft for jack—handle end 3613 Shaft for jack—handle end 3614 Shaft for jack—handle end 361 Shaft for jack—handle end 362 Shaft for jack—handle end 363 Shaft for jack—jack end 364 Shaft for jack—jack end 365 Adaptor for grease gun 3448 Inspection Lamp with Cable and Plug (12-volt) 345 Oil Can 345 Oil Can 345 Oil Can 346 Copper Wire (15 feet) 346 Copper Wire (15 feet) 347 Tin or Roll of Insulating Tape (½in. wide) 348 Head Lamp Bulb (12v. 6 w. Lucas No. 54) No. 54) 3554 Side Lamp Bulb (12v. 6 w. Lucas No. 207) 3607 Tool Wrap 3609 Liting Jack 3600 Li	2699 Sparking Plug Box Spanner 2977 Sparking Plug and Tappet Glearance Gauge 86 Tommy Bar 2647 Adjustable Spanner 2647 Adjustable Spanner 110 Combination Pliers 1027 Tyre Levers 1683 Tyre Valve Tool 3435 Tyre Pressure Gauge (Schrader No. 7750) 3609 Lifting Jack 3611 Shaft for jack—jack end 3612 Shaft for jack—handle end 1585 Handle only 2779 Shaft for jack—handle end 3613 Shaft for jack—handle end 3614 Shaptor for grease gun 3748 Inspection Lamp with Cable and Plug (12-volt) 3445 Oil Can Carrier 3455 Oil Can Carrier 346 Copper Wire (15 feet) 3456 Tin or Roll of Insulating Tape (½in. wide) 3457 Tin or Roll of Insulating Tape (½in. wide) 3458 Tin Box with spare lamp bulbs 13554 Head Lamp Bulb (12v. 6 w. Lucas) 13554 Side Lamp Bulb (12v. 6 w. Lucas) 13557 Tool Wrap	2977 Sparking Plug and Tappet Clearance 86 Tommy Bar	Second Cauge Seco	86 Tommy Bar	3127 Box Spanner, ½in. ×½in. 2647 Adjustable Spanner. 84 Screwdriver 110 Combination Pilers 3444 Hammer 1027 Tyre Levers 1683 Tyre Valve Tool 3435 Tyre Pressure Gauge (Schrader No. 7750) 3609 Lifting Jack 3611 Shaft for jack—jack end 3612 Shaft for jack—handle end 1585 Handle only 2789 Grease Gun, less adaptor 2789 Grease Gun, less adaptor 3448 Inspection Lamp with Cable and Plug (12-volt) 345 Oil Funnel 345 Oil Can 345 Oil Can 345 Tin or Roll of Insulating Tape (½in. wide) 345 Tin or Roll of Insulating Tape (½in. wide) 345 Tin Sox with spare lamp bulbs No. 54) Side Lamp Bulb (12v. 36 w. Lucas No. 207) Tool Wrap Tool Wrap Tool Wrap Tool Wrap Tool Wrap	2647 Adjustable Spanner	84 Screwdriver 110 Combination Pliers 3444 Hammer 1027 Tyre Levers 1683 Tyre Valve Tool 3435 Tyre Valve Tool 3609 Lifting Jack 3611 Shaft for jack—jack end 3612 Shaft for jack—handle end 1585 Handle only 2789 Grease Gun, less adaptor 2790 Adaptor for grease gun 3448 Inspection Lamp with Cable and Plug (12-volt) 3453 Oil Can 3485 Oil Can 3495 Tin or Roll of Insulating Tape (½in. wide) 3557 Tin Box with spare lamp bulbs No. 54) No. 207) 3644 Head Lamp Bulb (12v. 36 w. Lucas No. 207) Sight Lamp Bulb (12v. 6 w. Lucas No. 207) Tool Wrap 100 Can 100 Can	110 Combination Pliers	344 Hammer 1027 Tyre Levers 1683 Tyre Valve Tool 3435 Tyre Pressure Gauge (Schrader No. 7750) 3609 Lifting Jack 3611 Shaft for jack—handle end 1585 Handle only 2789 Grease Gun, less adaptor 2790 Adaptor for grease gun 3448 Inspection Lamp with Cable and Plug (12-volt) 345 Oil Funnel 345 Oil Can 3485 Oil Can 3485 Cin Can 3485 Cin Rox with spare lamp bulbs Tin Box with spare lamp bulbs Tin Box with spare lamp bulbs No. 54) Side Lamp Bulb (12v. 6 w. Lucas No. 2037 Tool Wrap 1083 Tyre Levers 1083 Tyre Levers 1083 Tyre Pool 1083 Tyre Pool 1084 Copper Wire (15 feet) 1085 Tin Box with spare lamp bulbs 1085 Tin Box with spare lamp bulbs	1027 Tyre Levers	1683 Tyre Valve Tool 3435 Tyre Pressure Gauge (Schrader No. 7750) 3609 Lifting Jack 3611 Shaft for jack—jack end 3611 Handle only 1585 Wheel Brace 3570 Tyre Foot Pump 2789 Grease Gun, less adaptor 2790 Adaptor for grease gun 3448 Inspection Lamp with Cable and Plug (12-volt) 345 Oil Gan Carrier 346 Oil Can 3485 Oil Can 3485 Tin or Roll of Insulating Tape (Ain. wide) 3446 Copper Wire (15 feet) 700 Wrap No. 207) 12037 Tool Wrap No. 207) 3609 Lifting Jack 1600 Lifting Jack 1700 Wrap 1700 Wrap 1800 Oil Can 1	3435 Tyre Pressure Gauge (Schrader No. 73609 Lifting Jack	3609 Lifting Jack	3612 Shaft for jack—jack end 3611 Handle only 918 Wheel Brace 3570 Tyre Foot Pump 2789 Grease Gun, less adaptor 2790 Adaptor for grease gun 3448 Inspection Lamp with Cable and (12-volt) 3453 Oil Funnel 3465 Oil Can 3485 Oil Can Carrier 3485 Oil Can Carrier 3485 Tin or Roll of Insulating Tape (\$\frac{1}{2}\$) 3446 Copper Wire (15 feet) 3457 Tin Box with spare lamp bulbs 3554 Head Lamp Bulb (12v. 36 w. 18) No. 54) 12037 Tool Wrap	3611 Shaft for jack—handle end 1585 Handle only 918 Wheel Brace 2789 Grease Gun, less adaptor 2790 Adaptor for grease gun 3448 Inspection Lamp with Cable and (12-volt) 3453 Oil Funnel 3442 Oil Can 3445 Oil Can Carrier 3445 Tin or Roll of Insulating Tape (½in. volt) 3445 Tin Box with spare lamp bulbs 3552 Tin Box with spare lamp bulbs No. 54) No. 54) 12037 Tool Wrap	Handle only	918 Wheel Brace	3570 Tyre Foot Pump	2789 Grease Gun, less adaptor 2790 Adaptor for grease gun (12-volt) 3453 Oil Funnel 3485 Oil Can 3485 Oil Can Carrier 3407 Bracket for Spare Sparking Plug 3445 Tin or Roll of Insulating Tape (Jin. V 3552 Tin Box with spare lamp bulbs No. 54) 3554 Side Lamp Bulb (12v. 36 w. I No. 54) 2037 Tool Wrap	2790 Adaptor for grease gun 3448 Inspection Lamp with Cable and (12-volt) 3453 Oil Funnel 3442 Oil Can 3485 Oil Can 3497 Bracket for Spare Sparking Plug 3445 Tin or Roll of Insulating Tape (Jin. v) 3446 Copper Wire (15 feet) 3552 Tin Box with spare lamp bulbs 7554 Head Lamp Bulb (12v. 36 w. No. 54) 7001 Wrap 7007 Tool Wrap 7007 Tool Wrap	3448 Inspection Lamp with Cable and (12-volt)	(12-volt) 3453 Oil Funnel 3442 Oil Can 3485 Oil Can Carrier 3407 Bracket for Spare Sparking Plug 3445 Tin or Roll of Insulating Tape (½in. w 3446 Copper Wire (15 feet) 3552 Tin Box with spare lamp bulbs 7 Tin Box only 7 No. 54) 8554 Read Lamp Bulb (12v. 36 w. I 8554 Side Lamp Bulb (12v. 6 w. I 7001 Wrap 7007 Tool Wrap	3453 Oil Funnel 3442 Oil Can 3485 Oil Can Carrier 3407 Bracket for Spare Sparking Plug 3445 Tin or Roll of Insulating Tape (½in. w 3446 Copper Wire (15 feet) 3552 Tin Box with spare lamp bulbs 7 Tin Box only 8553 Head Lamp Bulb (12v. 36 w. I 8554 Side Lamp Bulb (12v. 6 w. I 8554 No. 207)	3442 Oil Can 3485 Oil Can Carrier 3407 Bracket for Spare Sparking Plug 3445 Tin or Roll of Insulating Tape (‡in. w 3446 Copper Wire (15 feet) 3552 Tin Box with spare lamp bulbs 3454 Head Lamp Bulb (12v. 36 w. I No. 54) No. 54) No. 207) No. 207	3452 Ull Caff Carrier 3407 Bracket for Spare Sparking Plug 3445 Tin or Roll of Insulating Tape (\frac{1}{2}\text{in}\). 3552 Tin Box with spare lamp bulbs 3553 Tin Box only No. 54) No. 54) Side Lamp Bulb (12v. 6 w. I No. 207) 2037 Tool Wrap	3445 Tin or Roll of Insulating Tape (‡in. w 3446 Copper Wire (15 feet) 3552 Tin Box with spare lamp bulbs Tin Box only Head Lamp Bulb (12v. 36 w. I No. 54) Side Lamp Bulb (12v. 6 w. I No. 207)	3446 Copper Wire (15 feet) 3552 Tin Box with spare lamp bulbs 3454 Tin Box only	3552 Tin Box with spare lamp builds 3454 Tin Box only No. 54) Side Lamp Bulb (12v. 36 w. I No. 54) Side Lamp Bulb (12v. 6 w. I No. 207)	3553 Head Lamp Bulb (12v. 36 w. I. No. 54) Side Lamp Bulb (12v. 6 w. I. No. 2077 Tool Wrap	3554 No. 54) No. 5207 No. 207	3554 Side Lamp Bulb (12v. 6 w. I No. 207)	2037 Tool Wrap	2037 1001 Wrap	77.77		D	27.	72



BONNET AND FLITCH PLATES


Number per vehicle		2	2	m	4.	4 0	ω.		-	H 0	VC	7.0	7	1	- 1	→ (N C	N C	7	-	• •		4	* 0	10	1 4	. 4	. 60	4	4	4	1	1	2	7	4. (7 =	-	-			I	_	2	2	21	7 -	4.4	* *	* <	Jr = 1	4	4	7
.\550	?		***	* * *	0.0.0	*		Hinge	***		+	***	2.2.4	9.0.0		(40.00)	1800	1			44.6		*	*							* * *	***		i	4.4.4	8.4.4	***	* * *	* * *		: :			* * *	1	* * * *	2		***	***	***		1	•
	: c	10 :			7.0.0	***		and H	4 9 4	4.00		0	1111	2.7.5	4.00	:	1	8.4.4		200000	***		:	*	* * *	***			-		***	* * *	***		****	* * *	***	*			: :		***	*	***	4.4.4	*		***	***	***			i
	Webbing		į	:	3,773	:		Buffers 2		*	•	200	1	4.7.4	0.00	•	1111	*	i	÷×	0.0	į	:	:	:		:				1	:		:		ŧ	***	900	:			:			:	9.73	*	***	:		:			Plates
PTION	with W		:	1	****	***			+++	7	9.9.9	13.4	8.8.4	* * * *	dle	еоп	***	5.4.4	ì		8.8.4	**	- 1 (A)	Trata	Meta	9					į		ie	d	9344		***			Wachar		Offside	Nearside		***	***		4,574	*	***	Ders	***		Flitch Pla
DESCR	Bonnet Side—Offside—	olts to	2	K	Spring Washers	Webbing	livets	Bonnet Top with Rubber		Trade Mark		Cap Washers	Spring Washers	Locking Handle	HO	Washer for escutcheon	Screws					C-1:+ D:-			WILLI	Delte to homest to		Plain Washers					Bracket-					Prop Rod	Split Fin	-	Prop	Flitch Plate-	Flitch Plate-	Bolts to	44					DIT:	44	Plain Washers	- Ch	ules on
Part Number	G3-112	1 . 57		9				G3-111	¢		2K 3938	٠,	2K 1209		8H 329		2K 3938	86/6 W7	4071 V7	4A 259	C0000 V7	The same	1621 AZ	0000 17	711 9961			Wilder.	2K 1210	2K 3046	2K 1210	4A 165	4A 166	2K 3047	2K 3975	2K 9993	2K 1210	4A 206	2K 1231	2K 2542			3G 726	2K 3047	2K 2530		2K 1210	-	y .		2K 3048	2K 9998	2K 1210	10



75


WINDSCREEN

per venue	H	_	as req'd	н	-	7 7	67 6	1 (1	2	4	4.	4	1		8			4.	4	1	7 -		-
D.	and	***	: :	side	rside	1 1	2	: :	*	:	#6 #6 #6	:	:	:	* * * *	ì	:	:	Î	***	÷		i
	Glass	te	hite)	t—Off	-Nearside	: :	÷	: : ,	:				ıbly	•	:	***	***	* * *	**		:	:	1
DESCRIPTION	Windscreen Assembly with C Hinge Support Brackets	Screen Glass-Laminated Plate	Glazing Rubber for Glass (White Weather Strip (Black Rubber)	Screen Hinge Support Bracket-Offside	Support	Screws to screen frame Bolts to screen hinges	Nuts for bolts	Plain Washers Spring Washers	Screen Hinge Assemblies	olts to cab roof	Plain Washers	Spring Washers	Screen Centre Control Assembly	Iandle	Screw for handle	Chain	Driving Shaft	Bolts to dash	Shakeproof Washers	Bracket for Centre Control		Ada	
ber	110	2350	5001	1185	1186	3823	3975	9886 1210	3146	9580	9886	1210	3105	3106	3107	8931	8933	9580	8075	3108	3808	3109	3110
Number	G3-110	36	2H 2H	4A		2K		2K 2K	AA	2K	2K	2K	4D	4D	4D	2H	2H	2K	2K	4D	2K	4D	4D



WINDSCREEN WIPER


Number per vehicle	П	-	4 .	→ (7	7	=		4	4	1	4	4	4	1	- 0	7	-	1	n .	4 (7) (Ŋ.	<u> </u>	-	-	1	-	_	7	00	7	7	7	0	7	c	7	-	→ ,1	-
1-4	- 10	a	•	***	1.6.6	***	7.6.7	:	*	:			1	:	***	*	*	3.5	*	*	•	*	7		***	:	÷	:	:	•	:	÷		:	:,	acles	s in	*			***
	sembly with Motor, Blades and Fittings		8.4.4	****	4.4.4	30.00					3			1	i	•		:	*	•	***	***		*	:	4400	:	Shaft	Bracket		5 000	•	:	:		s and bl	Spindles	**		•	
	bly wit	0		motor	444	644							: :		***	**		9	į	30.5	***	÷	***	* * *	į	÷	-			***	:	1	***	:		en arm	Wiper S	:	Control		Motor
DRSCRIPTION	Windscreen Wiper Assembly with Motor	Ollying Smart,		Rubber Packing for	Rubber Ferrules	Washers	Bracket for Wiper Motor	1	Bolts to dash	Spring Washers	- : (#	and owner	Plain Washers	77.5		Clutch Knob-Nearside	Grub Screws	Clutch Coupling Link	Driving Link	elt We	Hallite Washers	Spring Washers	Pen Steel Washers	Packing Washer	t	Washer—pen steel	Driving Shaft Extension	Rubber Coupling-Driving	Driving Shaft Bearing and		Plain Washers	Spring Washers	Wiper Arms	Wiper Blades	Rubber Buffers	Rubber Liners between arms and blades	nles for	Scuttle Panel	for Blade	Screw	Cable-Wiper Switch to
Part	2H 8924		2H 8726	2H 8727	2H 8728						4 0		2K 3741		00	2H 8511	2H 8512	2H 8926	2H 8916		2H 8518	2H 8519	2H 8516	2H 8520	2H 8917	2H 8515	2H 7808	2H 7809	2H 8918		2K 9960	2K 1209	2H 8919	2H 7784			2H 8831		4A 230	2K 4548	2H 7046



13

DOORS AND FITTINGS

per vehicle		-	2	-	1	1	+	_	_	12	7 4	4	4	4. a		·	4	4.	4, 4	+ 4	7	N	0	ه ه	0	10	4	N	2	7	7	N	4	4	T.	খ খ	P (80
per	how and	low s	2444	8:	į	4.4.4	-	3000	9366		: :		*	***	: :		: :	*	1	: :	***	•	•	: :		: :	:	Š	***	*	Blocks,		***	•		(434)	-	1
	d, co Winc cks	ed, com- Window linges		× .	111	(4) (4)	1	4.5.5		10			*	4.4.4			1 1	4.4.4		1 1	1	* * *	1	:		: :	•	:		*	BIo			*		:	:	nnels
	l painte cluding lles, Lo	and paints including lles, and H	Sheet	Offside	Nearside		9 9	***	3	:	ŧ.		0.0	7)				***		1:	200	ì	:	1		handles	1	•	200	***	including	ì		÷		*		for Clase Channele
	d and ss, in Hand	ed an §s, in andle		-					9	doors	. ,	2			į			:	panels.	: :	:	:	Bolts	: -		for		68	***			1			-	3	(444)	C. C.
	Offside, upholstered and painted, complete with all fittings, including Window Regulator, Glass, Handles, Locks and Hinges	Nearside, upholstered and painted, complete with all fittings, including Window Regulator, Glass, Handles, and Hinges	Glasses-Toughened	-	Panel only (Painted),	Top-Offs		-Bottom-Offside		Screws for h	Scraws to door pillars	I SCrews	Plain Washers	Spring Washers	Tock_Offeida		0.0	roof Was		Plain Washers Spring Washers		Springs (Flat)	ing Plates for Lock	Screws Stabers	Outside Headler	Escutcheon Washers		Inside Lock Handles		Spring Washers	Dovetails (Female) Springs and Felts	Dovetails (Ma	Screws	Shakeproof Washers	Bumpers (Rubber)	Retainers	Screws	Duffers (Duhham)
	Door,	Door,	Door	Door	Door	Hinge	Hinge	Hinge	Hinge						Door	Door	Door				Lock	Lock	Striking		Dogs	DOOL		Door			Door	Door			Door			Door
	G3-117	-118	1168	1304	1305	3150	3151	3156	3157	3699	4240	3975	9420	1210	8081	1000	7875	9603	9014	1209	9012	9011	3113	3808	0000	7871	3099	3100	3103	8620	8967	8989	3824	9847	8894	3112	(8/2	20.41



81


80

WINDOW REGULATORS AND CHANNELS

Number per vehicle	12 12	1	-	8 8 8 8
Š	111	3		1 1 1
i	111	£		1 1 1
ide	rside	ŝ	:	: : :
DESCRIPTION Window Regulator—Offside	Window Regulator—Nearside Bolts Spring Washers	Channel—Offside	Channel—Nearside	Handles for Regulators Screws Spring Washers
Part Number 2H 9005	2H 9006 2K 9912 2K 1210	2H 8883	2H 8884	4D 3261 4D 3264 2K 8620

GLASS CHANNELS

Number per vehicle	н	1	1	4	ω	4	4	4
:	:			:	÷	:	:	:
Offside	Glass Channel—Shut Pillar, Nearside	Glass Channel—Hinge Pillar, Offside	Glass Channel—Hinge Pillar, Nearside	:	:	:	:	****
ar,	ar,	Ilar	llar,	*	nels	:	:	8
DESCRIPTION Class Channel—Shut Pillar, Offside	Shut Pill	Hinge Pi	Hinge Pi	Attachment Clips	Rivets—clips to channels	2000		shers
DESC el	e1	-lel	lel	ment	-Cii	1		Was
Chann	Chann	Chann	Chanr	Attach	Rivets-	Bolts	Nuts	Spring Washers
Glass	Glass	Glass	Glass					
Part Number 2H 8947	2H 8948	2H 8935	2H 8936	1052	2319	1051	627	1210
Nun 2H	2H	2H	2H	4A	2K	44	36	2K



WEATHER STRIPS

per vehicle	73	7	7	2
Glasses-Upper	Glasses—Cross	rops	oillars and Door-	Pillars and Door-
Veather Strips—Door	Weather Strips—Door Glasses—Cross	Weather Strips-Door Tops	2H 8419 Draught Rolls—Hinge Pillars and Door-way (Bottom)	2H 9528 Draught Rolls—Scuttle Pillars and Doorway (Top)
Part Number 2H 8887	2H 8959	2H 9073	2H 8419	2H 9528

METAL MOULDINGS

Number per vehicle	H 4 8	П	1 4
:	:::	:	: :
:	: : :	:	ide
÷	: :	Offsid	Nears
Description Door Moulding—Offside	Door Moulding—Nearside Screws lin. long Screws—‡in. long	Front Pillar Moulding-Offside .	Front Pillar Moulding—Nearside
Id Moulding	Moulding—Near Screws lin. long Screws— ³ 4in. long	Pillar M	Pillar Mou
Door	Door	Front	Front
Part Number 4D 3258	4D 3259 6K 9141 6K 9140	3G 3731	3G 3732 5C 1535

CASINGS

Part	DESCRIPTION				Number per vehici
	Door Casings-Trimmed	2000	25.53		2
	Clips	* *			09
	Clip Retainers	***	3.0	*	09
6K 9067	Felt Packings	*		4.4.4	7
	Hinge Pillar Casings-Ti	Trimmed	p	:	2
	Woodscrews	***	**	*	14
	Escutcheons	* * *	:	:	14
	Escutcheon Pins	:	***	;	00
6K 9138	Breeching Staples	:	:	:	N
5C 487	Woodscrews	•	:	:	4
	Cant Rail Casings—Trimmed	med	;		7
	Drive Screws	:	:	:	9
2K 9689	Escutcheons	÷	:	:	9
ATN 2000	E	-			2
	Canopy Casing-Irimmed	D	¢	÷	T
	Drive Screws	•	•	:	
2K 9689	Escutcheons	:	***	:	1

SEATS

Number per vehicle	(7	73	7	7	4	4	2	2	5		7	4	4	4	1		36				12						N C	
	100	Ē	3	:	:	:		*	*	90	9	:		:	:	Ė	:	:	3	:	•	•		•	*		į	:	÷
	Cushions	i	1	÷	9	*	***	•	÷	Assemblies	Assemblies for Front Seats	:		pins	:	-Offside	Assembly-Nearside	si	1	***	:	•	•	*	Assembly	1004	***		
	with C	:	:	:	(pai	slides	:	slides	:		or Fro	*		nt	:	1	ly—N	boards	:	:	qs	:	:	÷		***	1	į	3
PTION		÷	S	(Plain)	Notch	end of		Jo pu		Fram	lies fo		Divots	for	:	Assembly-	ssemp	to base	:	:	e boards	VS.	****	:	Support	1:			LS
DESCRIPTION	Assemblies	ered	Cushions	Slides (Seat Slides (Notched	-front	Washers	-rear end	oof W	Seat Bottom Frame	sseml	tered	Pins for	Washers	Pins	Seat A	Seat A		:	Plates	to base	Nuts for screws	Washers	rews	Seat S	to floor	for bolts	Washers	Washers
	Seat A	Upholstered	Seat C	Seat Sl	eat S	Screws-		Screws-	Shakeproof	eat Bo	Panel A	Unholstered		Plain W			nal S	Woodscrews	Hinges	Washer	Screws	uts fo	Plain W	Woodscrews		Bolts to	-		Spring
	Front S	D	Front S	Front S	Front S	Š	S	S	S	Front S	Back Pa	ŲP.	1	P	S	Occasional	Occasional	×	Seat Hi	M	Š	Z	Ы		Occasional	B	Z	Д	n
	Fre		Fre	Fr	Fr					Fr	Ba					Õ	Õ		Se						Ŏ				
Part	G3-119		G3-120	D 3147	D 3148		K 1210	F 3526	K 9847	D 3111	C3-126		K 6186			G3-114	G3-115	C 107	D 3142				6		D 3375			0	2K 1210
2	G3		G3	4D	4D	6K	2K	3F	2K	4D	. 2	}	MC	2K	2K	E	G3	5C	4D	4D	2K	2K	2K	50	4D	2K	2K	2K	

CAB AND BODY PANELS; TAILBOARD ASSEMBLY

Description It Dash Panel	0		1	Washers	2K 9518
Booty Panel Assembly	- c	:	:	-2\sin. long for bolts	2076
Body Side Panel Assembly	7 -	:	*	-24in. long	668
Body Skirt Panel Assembly	3	;	÷	and Chain	964
Body Skirt Panel Assembly	7		:	÷	1160
Body Skirt Panel Assembly	A C	*		Washers	1066
Body Skirt Panel Assembly	2	•	:	and Hook	3075
Body Skirt Panel Assembly	4	*	*	1	138
Roof Panel Assembly	7	:	į	Securing Pegs with Plates	3055
Body Skirt Panel Assembly Scuttle Panel, Side, Offside Wheel-Arch Panel Assembly—Offside Wheel-Arch Panel Assembly—Offside Body Side Panel Assembly—Offside Body Skirt Panel—Rear Tailboard Assembly Hinges for Tailboard Bolts to tailboard Bolts to tailboard Bolts-2\frac{3}{3}in. long—to body Nuts for bolts Nuts for bolts Plain Washers	ω	* * *	•	Washers	1211
Roof Panel Assembly	00	***	:	Vashers	9057
Body Skirt Panel Assembly Scuttle Panel, Side, Offside Wheel-Arch Panel Assembly—Offside Wheel-Arch Panel Assembly—Offside Body Side Panel Assembly—Offside Body Skirt Panel Assembly—Offside Tailboard Assembly Hinges for Tailboard Bolts to tailboard Bolts to tailboard Bolts-2\frac{3}{2}in. long—to body Bolts—2\frac{3}{2}in. long—to body	œ	***	:	for bolts	3976
Roof Panel Assembly	7	*		-23in. long-to	9128
Roof Panel Assembly	7	•		-23in. long-to	9114
Roof Panel Assembly	4	•	•	to tailboard	0606
Body Skirt Panel Assembly	7	:	:	Tailboard	3052
Body Skirt Panel Assembly	1	*	:	Assembly	3045
Body Side Panel Assembly	=	*	;	Skirt Panel-	2040
Body Side Panel Assembly	-	ide	ears	Side Panel Assembly-	2035
Bescription Roof Panel Assembly I Dash Panel Scuttle Panel, Side, Offside Wheel-Arch Panel Assembly—Offside Wheel-Arch Panel Assembly—Offside	1		ffsid	Side Panel Assembly-	2034
Roof Panel Assembly	-	rside	-Nea	Panel	3066
Description Roof Panel Assembly Dash Panel Scuttle Panel, Side, Offside Scuttle Panel, Side, Nearside	-		Offsi	Assembly—	3065
10 Roof Panel Assembly	П		*	Panel, Side,	1784
to Roof Panel Assembly	1	*	*	Panel, Side,	1783
to Roof Panel Assembly	-	*	* * *	Panel	3381
	per vehic	3	:	DESCRIPTION Assembly	Number D 3040

TIMBER FOR CAB AND BODY

Number per vehicle	П,	1	1	T
4 4	ä		8	Î
:	:	:	į	:
:	ffside	earsid	ar	50 50 50
Number DESCRIPTION 4D 3030 Roof Rail Assembly	4D 3226 Body Side Assembly-Offside	Body Side Assembly-Nearside	Body Skirt Packing-Rear	Floor Frame Assembly
Rai	Sic	Sic	Sk	r Fr
Roof	Body	Body	Body	Floo
Part Number 4D 3030	4D 3226	4D 3227	4D 3292	4D 3330

FLOORBOARDS AND COVERS

Number per vchic	Т.	0 1	-	10-17-7	N-0 -	de 1	77000-	-00	1 - 27 - 7 - 7 - 7
	*	Tab	**		 Offside	Nearside		1 1 1	
	Ĭ	witl	÷		2 3/ 2 1/		1 1 1 1 1	: : :	ber)
	ply	Assembly with	oly	k) k) rers	Pedals	-Front-		: : :	Rear Axle (sponge rubber
DESCRIPTION	Front Floorboard Assembly	Floorboard Loose Lid Ass	Rear Floorboard Assembly	Toeboard (Loose) Assembly Felt Packings Felt Packing Screws Washers (countersunk) Shakeproof Lockwashers	Toeboard Ferrules for F Retaining Plate Screws Floor Covering (Rubber)-	Floor Covering (Rubber)-	Gearbox Cover (Rubber) Cover Plug (rubber) Screws Washers Drive Screws Washers	Centre Tunnel Cover Screws Washers	Inspection Well for Rear Weather Strip (sponge Rivets Screws Nuts for screws Plain Washers
Number	3352	3361	3366	721 9399 9999 3825 661 9847	8848 724 3825 3247	3248	8874 8198 3812 9892 9971	192 3812 9892	3115 9529 2343 3929 4013 9161
ž	4D	4D	4D	35 2K	2H 3G 2K 4D	4D	2K 2	4A 2K 2K	2KKKKHD

TOOL BOXES

	4					
per vehicle	-	44851	4 4 4	44440	4 8 2 1	4
:	with	: : : :		:::::	: : :	*
le—wi		1111	: : :	:::::	111	:
Offsices	Vears	: 60	: : :	11111	: : :	1
Box Assembly—Offside—with Fasteners and Hinges	Box Assembly—Nearside- Fasteners and Hinges	Hinges for Lids Woodscrews 1½in. long Woodscrews lin. long Woodscrews §in. long	Screws 1\\$in. long Nuts for screws Plain Washers	Fasteners for Lids Screws—1\frac{1}{8}in. long Nuts for screws Plain Washers Woodscrews	and Turn Buckles Woodscrews Rivets	Padlocks with Keys
Tool	Tool	Hing		Faste	Hasp	Pad
Part Number 4D 3156	4D 3157	4D 3164 5C 522 5C 107 5C 5S	2K 3815 2K 4012 2K 9960	4D 857 2K 3815 2K 4012 2K 9960 5C 58	4D 561 5C 63 5C 4284	4D 351

GUN MOUNTING, RIFLE CLIP AND FIRE EXTINGUISHER

4	- 4 4 4		-	= no no	N N
: :	1-11-1	111	1	::	: : :
Front	Rear	i i i	1	1 1	
Plate-	Plate	* * *	ne)	isher	111
Supports for Retaining Screws	Gun Mounting Retaining Screws Nuts for screws Spring Washers	Rifle Clip Assembly Packing for clip Packing for butt	Fire Extinguisher (Pyre	Bracket for Fire Extingue Screws	Plain Washers
4D 3281 5C 58			8H 392	8H 393 2K 3809 2K 4012	2K 9015 2K 1209
	3281 Supports for Retaining Plate—Front Screws	3281 Supports for Retaining Plate—Front 58 3279 Gun Mounting Retaining Plate—Rear 3831 Screws 3975 Nuts for screws 1210 Spring Washers	3281 Supports for Retaining Plate—Front 58 3279 Gun Mounting Retaining Plate—Rear 3831 Screws 3975 Nuts for screws 1210 Spring Washers 3304 Rifle Clip Assembly 3306 Packing for clip 3307 Packing for butt	3281 Supports for Retaining Plate—Front 58 3279 Gun Mounting Retaining Plate—Rear 3831 Screws 3831 Nuts for screws 1210 Spring Washers 3304 Rifle Clip Assembly Packing for clip 3307 Packing for butt 3307 Fire Extinguisher (Pyrene)	Screws

SPARE WHEEL SUPPORT AND CLAMP

Number per vehicle	-	4.	4	-		7
Δ.	:		*	*	:	:
	:	***	i	:	***	:
	Plate	***	* * * *	ssembly	(0.000)	•
DESCRIPTION	Support	***	Spring Washers	Spare Wheel Clamp Assembly	Ring	п
	Wheel	Bolts	Spring	Wheel	Clamp	Split Pin
	Spare			Spare		
Part Number	3018 3018	K 3093	K 1211	LD 3012	tD 3015	2K 1238

BATTERY CLAMP AND FITTINGS


Number per vehicle	1	-	-	-	-	-	1	(7	NI	O r	n ı	O
	1	;	:	Ė	:	:	į			:	*	:	***
	Í	÷	:	į	į	ì	:	:	:	i	;	:	
	*	*	*	1	i	:	:	in. long	14in. long	Zin. long	:	į	14.5
MOTTOTATA	Battery Clamp	Fixing Rod	Wing Nut	Support Plate	Tapped Plate	Packing Block (Side)	Packing Block (Rear)	Screw for block 14in. long	Screws for block 1		Nuts for screws	Plain Washers	Spring Washers
Part	Number 4D 3182	4D 3183	4D 3184	4D 3185	4D 3186	4D 3187	4D 3188				2K 4012	2K 9907	2K 1209

TILT TUBES AND COVERING

	Part			N	=
N	Number		,	ber	
4D	3269	Assemblies (Front, C.	tre and I	(ear)	2
4	3199	Fop) for Front Tilt	Tube	22.5	7
2K	3055	Bolts—1 gin. long	444	(1)	2
2K	4350		****	1	N
2K	3975	-	35.53	600	4
2K	9420	Plain Washers	30.00		4
2K	1210	Spring Washers	*	+++	4
4D	3203	Bracket (Centre) Offside, for Front	Tilt	Tube	***
4D	3204	Bracket (Centre) Nearside, for Fro	Front Tilt	Tube	-
2 K	4350				2
2 K	9420	Nashers for screws		-	7
2K	3047	Sin. long			7
210	3975	Nuts for holts and screws			4
2 K	1210	washers for bolts and	screws		4
40	3209	Bracket (Rottom) Offside, for Front	Tilt	Tube	yes
40	3210	(Bottom) Nearside, for	THI		-
3.6	4350	Scraws—Tim long			0
2K	3053	1 3in 1			10
2 K	3975	for bolts and screws		1	4
2K	9420	Washers	*		÷Į*
2K	1210			12	4
4D	3274	Tube Assembly	× × ×		Н
4D	3214	ts (Top) for Centre Tilt	Tube		2
1	2217	(Dottom) for Contro	1+ Trubo		,
40	3417) for Centre	agn i ir		a c
47	2000	for bolts			0 0
200	0430	Western		× 50	ο α
210	1210	Coring Washers			000
4 5	2000	Tritt Tritte		1000	
40	2712	Tube Assembly		3,56,6	7 (
4D	3219	rop) for Rear lift I	npe	0.00	7
2K	3059	72	999	3000	7.0
A P	5975	Nuts for bolts	****	2000	70
4 K	1210	Spring Washers		*	V (
2	138	oodscrews		Tube	7 =
45	2775	Visside, for	Sar Illi	Tube	-
710	2055	long long	mear 1111	agnī	- 0
247	2000	for bolte			10
2 K	1210	Spring Washers			N
5C	138	Woodscrews			7
4D	3419	port Tubes (Tilt Top		4.4	7
4D	3373	(Front), for	MY.	*	***
40	3374	Stowage Bracket (Rear), for Side	e Tube	25.50	-
30	109	Woodsci	1	•	4.
4D	1281	Rope Hooks-Double	**	1	41 0
200	1115	Woodscrews		1	D 0
40	3151	Rope Hooks-Single	1	1	0
AK.	3817	Screws	3	44.40	0 4
240	2104	Inuts Ior screws	988	0000	0 4
40	3308	**	Assembly	vlc	
2H	9520	Back and Division Curtain	Lights		C
21H	9519	Lights	6	-	₹
2H	9513	ing Ropes (Side), for Tilt	Cover	Ī	2
2H	9518	Rope (Front), for Till	Cover		=

MUDWINGS

Number per vehicle	1 2 2 10 10 2 20 22 22 22 22	ged	126621	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2
D D	cowl	*	11111		3
:	bot tor dash	:			Wings
	cowl b	š		long	
DESCRIPTION Front Wing—Offside	Front Wing—Nearside Bolts—‡in. long—to fixing bracket Bolts—‡in. long—to and flitch plates Bolts—‡in. long—to Nuts for bolts Plain Washers Plain Washers Spring Washers	Mudflap—Offside	Fixing Bolts Nuts for Plain Spring	Rear Wing—Offside Rear Wing—Nearside Woodscrews—lin. lo Plain Washers Bolts—Jin. long Nuts for bolts Plain Washers Spring Washers	Wheel Arch Piping for Front Wings Wheel Arch Piping for Rear Wings
Part Number 4D 3061	4D 3062 2K 3048 2K 3047 2K 3046 2K 3975 2K 9998 2K 9007 2K 1210	2H 9156		4D 3249 5C 9247 2K 9799 2K 3046 2K 3975 2K 3975 2K 3975 2K 3975	2H 7493 2H 9431



BUMPERS

Number per vehicle	-	7	7	7	2	7	7	1	7	0	7	7
per	kets	•	**	:	:	***	:	:		***	* * *	÷
DESCRIPTION	Front Bumper with Towing Hook Brackets	Rubber Ferrules	Setscrews (large) to frame	Setscrews (small) to frame	Washers	Spring Washers (large setscrews)	Spring Washers (small setscrews)	Bumper with Towing Eyes	Setscrews (large) to frame	Setscrews (small) to frame		Spring Washers (small setscrews)
	Front							Rear				
Part	5759	5651	6225	6227	1205	5861	5863	5761	6226	6227	5861	5863
Nu	0	V	K	M	K	M	K	0	M		K	K

MISCELLANEOUS

Number ner vehicle	per venues	-	7	N	4	d -	ď.	_	Ţ	7	1	12	×	П	4	₩.	4 -	4	-	=	-	-	- 2		1		-		t 4	. 7	2	1	1	-	01:	N C	20	2.0	2
		ì	7.7	X	:		1	*	:	*	:	de	1	:	1		:	Š	:		*	*	: :	te-	¥.	te-	:	1	•	: :	1	;	•		***	3	000	*	*
			7.19	**	* * *	*)		1	÷	1	Offside	Nearside	1	:	1	***	1		***	Bulb	8	3	: :			· Plate	3					1	:	÷	9.4.4	80000	1	÷	
				***	3000			000	3	:	Wires-0	Wires—N				30	1	ž.	55.5	3ulb ite with E	***	28 28 28 28 28	3 3	Excluder	ŧ	Excluder	***	Ę.			1	* * *	***	Carrier	(8)	***	3	1	ŝ
MOLLO	100	-	****	rts		Ŷ	Ŧ	40 40 40	3				-Offside	Nearside	Ī	7.5.5	**	200	***	with Bulb	:	***	: :				\$	10.04	i		÷	nbly	:	Petrol	÷	100	2 1		
DESCRIPTION		Outside Driving Mirror	Supports	Stiffeners for Supports	s to		Spring Washers	Unit Sign Plate	Bridge Loading Disc	Trafficators	Cover Plate for Trafficator	Cover Plate for Trafficator	ket-	Trafficator Bracket-Ne	1		Spring Washers		Sun Vizor Assembly	Roof Lamp Assembly, with Bulb Cover Switch and Bulb Fixing Plate with	Bulb (12 volt)	Steering Column Clip	Rubber Facking Bolts for clip		nall	Steering Column Draught	rge	Felt for plates	Spring Washers	Felt Packings	Felt Packings	Instrument Panel Assembly	Radiator Muff	for c	Escutcheons	Screws	Plain Washers		Woodscrews
Part	Tarre and						7K 1209	2H 3617	2H 3618	4D 3397	4D 3290	4D 3291 5C 39	4D 3298	4D 3299			2K 3946		4D 3297	2H 9055 2H 9503 2H 9502/4	2H 9504	3G 3686		3G 731	Ŷ	3G 3664		6K 9020				4D 3097	8H 345			2K 6689	2K 9660	2K 1209	

MAKER'S NAME AND PART NUMBERS OF PROPRIETARY PARTS FITTED TO 10 H.P. W.D. UTILITY CARS (WITH WATER PUMP) SUPPLIED UNDER CONTRACT V.3887.

			Part	Austin Part No.	Type.	Service No.	Name.
			2H	2378	14 C 13	1527475	A.C.Sphinx
I Cleaner	y. j			3074	CZZ0-T6	364366	Lucas
				3592	STXVW-13E	1615339	Lucas
Ary)				35.60	30-VM-4	Î	Zenith
arburetter	94	_		CPO	01271.	401612	I ucas
	121	į.		2221	RF91/14	334573	Lucas
200		į		2555	Main	988801	Lucas
Cable Harness		1		20000	Trail Lame &		
Cable Harness		1		2000	Dattel Canon	988821	Lucas
			1	00000	TATA DATES	405601	Lucas
Distributor	(6)	-	717	2070	CARN'THE CARNES	228139	Lucas
999	9.00	4	4	00/1	TIE 1141	700780B	Lucas
	*	:	717	0747	111.1171 C77/194V		Lucas
			117	2020	2/1/1001		Lucas
Front Shock Absorber N/S		*	ZH.	353/	201/1000	25122	Tecalemit
Grease Gun and Adaptor .	-	100	2H	2789	ZCH.	25122	Tecalemit
		* * * *	2H	2790	SCH.	20120 Oct 1000	Tures
	-		2H	3547	MD,143	U074700	Lucas
			2H	3548	MD.143	0/44100	Lucas
	3		HC.	3589	MD.140/1	054614B	Lucas
-Ouside	1	:	HC	3590	MD.140/1	054615B	Lucas
-Nearside	:		C	3448	No 97	614026	Lucas
		**	211		1 1	301186	Lucas
Inspection Lamp Sockets	: :	0.00	110	2034	1	851564	Lucas
Instrument Lamps and Cable	pie	Ž.	117	0000	125	621210	Lucas
Mirror				2000	100	X 53483 /1	Smith
Oil Gauge	* * *	9	7	2240	I T YOU	214120	Lucas
Panel Light Switch			2H	3418	1.26-L.8	A0508 /11	Smith
Petrol Gauge			ZHZ	2814	1	100001	A C Sphinx
Petrol Pump	***	10	ZH.	35/1	I	102427	Tarrage
Absorb		I	2H		S77/118Y	1	Tuess
		-	2H		S77/118X	1000	Lucas
ame		0.0	2H		LD.109A	020024A	Canith
ometer			2H		1	-	Smith
Speedometer Flex	***		2H		4' 5"	13.	
marking Plug	90	1.4.4	2H		1	TOCACO A	Amol.
Ctarter Control	;		2H		1	00/2120	Twees
Lami		***	2H		AT.201	020002A	Tuest
Stop Light Switch			2H		54C	313723	Tuess
Ctarter Switch			2H		ST10-L	164291	Lucas
Ctarter lass Switch	5		2H		M418G/L	2553/8	Lucas
Statistical Row			2H	3424	PLC2-L74	344910	Lucas
Screen Winer		Š	2H		SW4/BN112	735244	Lucas Carit
Farit Unit		-	2H	3303	1	26828	THE PARTY
Tall Lamp Switch			2H		MD6-L7	359863	Lucas
			100		B.V.		
Inermostat	:				1	X.20933/31	1 Smith
I hermometer	:				SE62.WL	053904	Lucas
Trafficators	÷		_		RN/10/39	322530	Lucas

LIST OF OVERSIZE AND UNDERSIZE PARTS.

Parts listed below are available in oversize (+) or undersize (-) as shown, in addition to standard.

Description.	Part No.	Size.
Connecting Rod Bearings	1G 691	010"
Main Bearings	1G 829/ 830	010"
Pistons with Rings and Gudgeon Pins	G3_92	+.005" +1/64" +1/32"
Gudgeon Pins	1G 981	+.005"
Piston Rings	1G 939	+.005" +1/64" +1/32"
Scraper Rings	16,940	+.005" +1/64" +1/32"

